

Spec # 136-0805-MEPS
DEPT. OF TRANSPORTATION & WORKS
SPECIFICATION FOR
½ TON PICKUP (4x4)

THIS FORM MUST BE COMPLETED &
 RETURNED WITH TENDER
 * INDICATES A REQUIRED RESPONSE

	SPECIFICATIONS	COMPLY	DESCRIPTION
GVWR	2900 kg. Minimum (6393 lbs).		
Wheelbase	3378 mm minimum (133.0 inches)		
Body	Fully galvanized steel or galvanized steel/alloy construction 2 door count Split bench seat (any combination of cloth and/or vinyl) with lumbar support on driver's side. 3 seat belts required. Nominal 2.44 m (8 ft) exterior box length with internal fenders (fleetside)		
Accessories	Manufacturer's standard AM/FM radio. Dual sun visors Front Heater / Defogger In Cab Hood Release Manufacturer's standard halogen headlights Glove box with cover Audio backup alarm, high decibel range Air-conditioning		
Mirrors	Manufacturer's standard		
Windshield Wipers	Variable intermittent		

Spec # 136-0805-MEPS
DEPT. OF TRANSPORTATION & WORKS
SPECIFICATION FOR
½ TON PICKUP (4x4)

THIS FORM MUST BE COMPLETED &
 RETURNED WITH TENDER
 * INDICATES A REQUIRED RESPONSE

	SPECIFICATIONS	COMPLY	DESCRIPTION
Bumpers	Manufacturer's standard front bumper with rear step bumper.		
Engine	6 cyl or 8 cyl Gasoline 3.7 L (minimum) 195 hp (minimum) High temperature opening thermostat.		
Drive Type	Four wheel		
Engine Block Heater	Manufacturer's standard to be supplied in all units		
Cooling System	Cooling system to be protected to -37 ° C at all times of the year.		
Transmission	4 speed / 5 speed or 6 speed automatic		
Differential	Standard ratio for engine and transmission specified.		
Brakes	Hydraulic service power assisted brakes with dual master cylinders independently controlling the front and rear. Mechanical parking brake.		
Steering	Power Assisted		
Fuel Tank	128 litre capacity minimum (34 US gal)		

Spec # 136-0805-MEPS
DEPT. OF TRANSPORTATION & WORKS
SPECIFICATION FOR
½ TON PICKUP (4x4)

THIS FORM MUST BE COMPLETED &
 RETURNED WITH TENDER
 * INDICATES A REQUIRED RESPONSE

	SPECIFICATIONS	COMPLY	DESCRIPTION
Suspension	Springs to meet the requirements of the GVWR warranty plate. Shocks / Strut absorbers to match the springs supplied.		
Wheels & Tires	Manufacturer's standard wheels and all season tires Full size spare tire and wheel as installed on vehicle		
Alternator	Manufacturer's standard		
Battery	600 CCA minimum		
Safety Features	The vehicles supplied must meet the provisions of the Canada Motor Vehicle Safety Act and the Regulations made there-under which are in effect on the date of manufacture of each vehicle.		
General	To Include: Lug wrench and jack. Standard new vehicle warranty One operator's manual per unit		

DEPARTMENT OF TRANSPORTATION AND WORKS
VEHICLE FLEET MANAGEMENT

NEW VEHICLE / EQUIPMENT DATA SHEET

SUPPLIER		R.O. #	P.O. #	PURCHASE PRICE	
FOR THE DEPARTMENT OF		RECEIVING LOCATION			
NEW VEHICLE / EQUIPMENT INFORMATION					
MODEL YEAR		MODEL #			
DESCRIPTION		SERIAL #			
ENGINE		TRANSMISSION		AXLES / WEIGHTS	
MAKE		TYPE		DRIVE TRAIN TYPE	
MAKE		MAN		FRONT	
MODEL #		MAKE		DIFFERENTIAL MAKE	
SERIAL #		MODEL #		DIFFERENTIAL MODEL #	
TYPE		FLUID CAPACITIES		DIFFERENTIAL AXLE RATIO	
NO OF CYLS		ENGINE OIL (L)		FRONT AXLE CAPACITY (KG)	
DISPLACEMENT (L)		COOLANT (L)		REAR AXLE CAPACITY (KG)	
HORSEPOWER (KW)		TRANSMISSION (L)		GVW CAPACITY (KG)	
TORQUE (N-M)		FUEL TANK (L)		FRONT TIRE SIZE	
				REAR TIRE SIZE	
				READING	
				METER	
				TYPE	
				KM	
				MILES	
				HRS	
				ATTACHMENTS	

Two copies of this form must be completed by the Dealer for each unit supplied. One copy is to accompany the vehicle. The vehicle will not be received without this form. The other copy along with a copy of the NVIS is to be forwarded to Vehicle Fleet Management at the address below prior to delivery.

Vehicle Fleet Management

Maintenance Division

Department of Transportation and Works

6 th Floor, West Block, Confederation Building

Fax # 729-6934

Spec # 000-0504-G
DEPT. OF TRANSPORTATION & WORKS
SPECIFICATION SUPPLEMENT
DEALER COMPLIANCE STATEMENT

**THIS FORM MUST BE COMPLETED &
RETURNED WITH TENDER**
*** INDICATES A REQUIRED RESPONSE**

Company Name:	Description of Units Being Supplied
Authorized Company Representative:	
Signature:	

Spec # 000-0611-P
DEPT. OF TRANSPORTATION & WORKS
SPECIFICATION SUPPLEMENT FOR
VEHICLES (GENERAL)

THIS FORM MUST BE COMPLETED &
 RETURNED WITH TENDER
 * INDICATES A REQUIRED RESPONSE

	SPECIFICATIONS	COMPLY	DESCRIPTION
Paint	Manufacturer's Light/ Medium grey (subject to Fleet Management approval). Paint must be a manufacturer's colour currently in use. It should be noted that any repainting to meet specifications must include interior of doors, door frames and trunk.		
Tire Levy	All tire levy charges to be included in cost submitted in tender.		
Delivery	To locations as specified. Note: Delivery must be completed during normal working hours, Monday to Thursday, 8:30 a.m. to 4:30 p.m.		