

DATE: 6/29/2010

INVITATION TO BID
THIS IS NOT AN ORDER

Page: 1

BID NO.: 50-00098044

JEFFERSON PARISH

PURCHASING DEPARTMENT
P.O. BOX 9
GRETNA, LA. 70054-0009
504-364-2678

VENDOR:

BUYER: D. Nelson

BIDS WILL BE RECEIVED IN THE PURCHASING DEPARTMENT, SUITE 4400, JEFFERSON PARISH GENERAL GOVERNMENT BUILDING, 200 DERBIGNY STREET, GRETNA, LA 70053 UNTIL 2:00 PM, 7/22/2010 AND PUBLICLY OPENED UPON COMPLETION OF ADMINISTRATIVE TASKS.

LATE BIDS WILL NOT BE ACCEPTED

NOTE: ONLY BIDS WRITTEN IN INK OR TYPEWRITTEN, AND PROPERLY SIGNED BY A MEMBER OF THE FIRM OR AUTHORIZED REPRESENTATIVE, WILL BE ACCEPTED. PENCIL AND/OR PHOTOSTATIC FIGURES OR SIGNATURES DISQUALIFY BID.

INSTRUCTIONS FOR BIDDERS AND GENERAL CONDITIONS

THE FOLLOWING INSTRUCTIONS APPLY TO ALL BIDS

All bids submitted are subject to these instructions and general conditions and any special conditions and specifications contained herein, all of which are made part of this bid proposal reference. All quotations shall be based on F.O.B. Agency warehouse or job site, anywhere within the Parish as designated by the Purchasing Department. The provisions do not apply to public works projects

Questions on this bid are to be faxed to (504) 364-2693 no later than FIVE (5) working days prior to bid opening. Bid numbers should be mentioned in all requests.

The purpose and intention of this invitation to bid is to afford all suppliers an equal opportunity to bid on all construction, maintenance, repair, operating supplies and/or equipment listed in this bid proposal. JEFFERSON PARISH WILL ACCEPT ONE BID ONLY FROM EACH VENDOR. Items bid must meet or exceed specifications.

JEFFERSON PARISH will accept one price for each item unless otherwise indicated. Two or more prices for one item will result in bid rejection.

If the bid exceeds \$20,000.00 and if someone other than a corporate officer signs for the Bidder/Contractor, a copy of a corporate resolution or other signature authorization shall be required for submission of bid. Failure to include a copy of the appropriate signature authorization, if required, may result in the rejection of the bid unless bidder has complied with LSA-R.S. 38:2212(A)(1)(c) or LSA-R.S. 38:2212 (O).

A. AWARD OF CONTRACT: JEFFERSON PARISH reserves the right to award contracts or place orders on a lump sum or individual item basis, or such combination, as shall in its judgment be in the best interest of JEFFERSON PARISH. Every contract or order shall be awarded to the LOWEST RESPONSIBLE BIDDER, taking into consideration the CONFORMITY WITH THE SPECIFICATIONS and the DELIVERY AND/OR COMPLETION DATE.

Preference is hereby given to materials, supplies, and provisions produced, manufactured or grown in Louisiana, quality being equal to articles offered by competitor outside the state. "LSA-R.S.38:2251-2261"

B. USE OF BRAND NAMES AND STOCK NUMBERS: Where brand names and stock numbers are specified, it is for the purpose of establishing certain minimum standards of quality. Bids may be submitted for products of equal quality, provided brand names and stock numbers are specified. Complete product data may be required prior to award.

C. CANCELLATION OF CONTRACT: JEFFERSON PARISH reserves the right to cancel all or any part if not shipped promptly. No charges will be allowed for parking or cartage unless specified in quotation. The order must not be filled at a higher price than quoted. JEFFERSON PARISH reserves the right to cancel any contract at anytime and for any reason by issuing a THIRTY (30) day written notice to the contractor.

For good cause and as consideration for executing a contract with Jefferson Parish, vendor conveys, sells, assigns and transfers to Jefferson Parish or its assigns all rights, title and interest in and to all causes of action it may now or hereafter acquire under the antitrust laws of the United States and the State of Louisiana, relating to the particular good or services purchased or acquired by Jefferson Parish.

Visit our website at WWW.JEFFPARISH.NET/BIDS

INSTRUCTIONS FOR BIDDERS AND GENERAL CONDITIONS

D. PRICES: Jefferson Parish is exempt from paying sales tax under LSA-R.S. 47:301 (8)(c). All prices for purchases by Jefferson Parish of supplies and materials shall be quoted in the unit measure specified and unless otherwise specified, shall be exclusive of state and Parish taxes.

Quantities listed are for bidding purposes only. Actual requirements may be more or less than quantities listed.

Bidders are not to exclude from participation in, deny the benefits of, or subject to discrimination under any program or activity, any person in the United States on the grounds of race, color, national origin, or sex; nor discriminate on the basis of age under the Age Discrimination Act of 1975, or with respect to an otherwise qualified handicapped individual as provided in Section 504 of the Rehabilitation Act of 1973, or on the basis of religion, except that any exemption from such prohibition against discrimination on the basis of religion as provided in the Civil Rights Act of 1964, or Title VI and VII of the Act of April 11, 1968, shall also apply. This assurance includes compliance with the administrative requirements of the Revenue Sharing final handicapped discrimination provisions contained in Section 51.55 (c), (d), (e), and (k)(5) of the Regulations. New construction or renovation projects must comply with Section 504 of the 1973 Rehabilitation Act, as amended, in accordance with the American National Standard Institute's specifications (ANSI A117.1-1961).

E. RESPONSE TO INVITATION: If your company is unable to bid on this request, please state your reason on bid form, and return to this office before bid opening date. Failure to do so may result in the removal of your company from Jefferson Parish's vendors list.

F. POSTING OF BIDS: Non-Advertised bids will be posted on bulletin board in Suite 4400, Jefferson Parish General Government Building, Gretna, LA, for a period of Five (5) working days after opening date.

Advertised bids will be tabulated and a copy forwarded to each responsive bidder.

**IN ACCORDANCE WITH RECENT STATE LEGISLATION JEFFERSON PARISH IS NOW OFFERING
ELECTRONIC PROCUREMENT TO ALL VENDORS**

JEFFPro is the current Electronic Procurement System being used by the Parish. This system allows vendors the convenience of entering and submitting their pricing online. This is a secure site and no one has access to bid information.

Please follow the Purchasing Department link at purchasing.jeffparish.net to register and review Jefferson Parish solicitations.

The general specifications for construction projects and the purchase of materials, services and/or supplies are those adopted by the JEFFERSON PARISH Council by Resolution No. 113646 or 113647 dated 12/09/09. The general conditions adopted by this resolution shall be considered as much a part of this document as if they were written wholly herein. A copy may be obtained from the Office of the Parish Clerk, Suite 6700, Jefferson Parish General Government Building, 200 Derbigny Street, Gretna, LA 70053.

ADDITIONAL REQUIREMENTS FOR THIS BID

**PLEASE MATCH THE NUMBERS PRINTED IN THIS BOX WITH THE
CORRESPONDING INSTRUCTIONS BELOW.**

12,13,14

1. All bidders are invited to attend the pre-bid conference. Failure to attend the pre-bid conference shall not relieve the bidder of responsibility for information discussed at the conference. This conference is held to allow questions to be answered and inspect the site with owner's representative, etc. Failure to attend the pre-bid conference and inspection does not relieve the successful bidder from the necessity of furnishing materials or performing any work that may be required to complete the work in accordance with the specification (with no additional cost to the owner).

INSTRUCTIONS FOR BIDDERS AND GENERAL CONDITIONS

2. Contractor must hold current applicable JEFFERSON PARISH licenses with the Department of Inspection and Code Enforcement. Contractor shall obtain any and all permits required by the JEFFERSON PARISH Department of Inspection and Code Enforcement. The contractor shall be responsible for the payment of these permits. All permits must be obtained prior to the start of the project.
3. A Louisiana State Contractor's License may be required in accordance with LSA-R.S. 37:2150 et seq. If providing information on the internet (JEFFPro) please enter license number in the vendor comment section of the bid form.
4. It is the bidder's responsibility to visit the job site and evaluate the job before submitting a bid.
5. Job site must be clean and free of all litter and debris daily and upon completion of the contract. Passageways must be kept clean and free of material, equipment, and debris at all times. Flammable material must be removed from the job site daily because storage will not be permitted on the premises. Precautions must be exercised at all times to safeguard the welfare of JEFFERSON PARISH and the general public.
6. All awards in excess of \$5,000.00 for the construction, alteration, or repair of any public works will be reduced to a formal contract which shall be recorded at the contractor's expense. A price list of recordation costs may be obtained from the Clerk of Court and Ex-officio Recorder of Mortgages for the Parish of Jefferson. All awards in excess of \$25,000.00 reduced to formal contract will require a performance bond.
7. A performance bond will be required for this bid. The amount of the bond will be 100% of the contract price unless otherwise indicated in the specifications. Performance bond shall be supplied at the signing of the contract.
8. Please indicate if you have insurance: YES _____ NO _____
Successful bidder will be required to furnish proof of insurance to this office.
Successful bidder will be required to furnish Federal I.D. Number.
9. Minimum insurance requirements for this bid are as indicated on the attached sheet.
10. Each bid must be accompanied by a cashier's check, certified check, money order, or surety bid bond in the amount of 5% of the bid, including all alternates.
11. Affidavit required is to be submitted within 10 working days of the bid opening to the Purchasing Department on all solicitations for construction, alteration or demolition of public building or project. (LSA-RS 38:2224)
12. This is a requirements contract to be provided on an as needed basis.
13. In the event that the successful bidder cannot furnish a specific item or material and labor in the required time, JEFFERSON PARISH may purchase on an emergency basis from the next lowest bidder, or available source, until such time as the successful bidder has notified the PARISH in writing that his stock or labor capability has been replenished. The difference in price will be charged against the successful bidder of this contract, and evidence of purchases and price will be provided.
14. Freight charges should be included in total cost when quoting. If not quoted FOB DELIVERED, freight must be quoted as a separate item. Bid may be disqualified if not quoted FOB DELIVERED or if freight charges are not indicated on bid form.

BID FORM

Non Public Works

All Public Work Projects are required to use the Louisiana Uniform Public Work Bid Form

DELIVERY: FOB JEFFERSON PARISH

INDICATE DELIVERY DATE ON EQUIPMENT AND SUPPLIES _____

LOUISIANA CONTRACTOR'S LICENSE NO.: (if applicable) _____

FIRM NAME: _____

ADDRESS: _____

CITY, STATE: _____ ZIP: _____

TELEPHONE: () _____ FAX: () _____

EMAIL ADDRESS: _____

All prices must be held firm unless an escalation provision is requested in this bid. Jefferson Parish will allow one escalation during the term of the contract, which may not exceed the U.S. Bureau of Labor Statistics National Index for all Urban Consumers, unadjusted 12 month figure. The most recently published figure issued at the time an adjustment is requested will be used. A request must be made in writing by the vendor, and the escalation will only be applied to purchases made after the request is made.

Are you requesting an escalation provision?

YES _____ NO _____

MAXIMUM ESCALATION PERCENTAGE REQUESTED _____ %

INITIAL BID PRICES WILL REMAIN FIRM THROUGH THE DATE OF _____.

For the purposes of comparison of bids when an escalation provision is requested, Jefferson Parish will apply the maximum escalation percentage quoted by the bidder to the period to which it is applied in the bid. The initial price and the escalation will be used to calculate the total bid price. It will be assumed, for comparison of prices only, that an equal amount of material or labor is purchased each month throughout the entire contract.

TOTAL PRICE OF ALL BID ITEMS: \$ _____

AUTHORIZED

SIGNATURE: _____

Printed Name

SIGNING INDICATES YOU HAVE READ AND COMPLY WITH THE INSTRUCTIONS AND CONDITIONS.

NOTE: All bids should be returned with the BID NUMBER and BID OPENING DATE indicated on the outside of the envelope submitted to the Purchasing Department.

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00098044

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			TWO (2) YEAR CONTRACT FOR A SUPPLY OF SEWER CLEANER HOSE AND RELATED ITEMS FOR THE JEFFERSON PARISH DEPARTMENT OF PUBLIC WORKS AND ALL SEWERAGE AND DRAINAGE DISTRICTS		
1	4000	FT	0010 - (1000) FT. ROLLS 1/2 INCH S508 SEWER CLEANER HOSE. HOSE I. D. - 0.50 HOSE O. D. - 0.80 BLACK ABRASION RESISTANT POLYURETHANE COVER WITH RED POLYESTER TUBE INSIDE. REINFORCED WITH (1) BRAID OF ARAMID FIBER. MAX. OPERATING PRESSURE - 4,000 PSI MINIMUM TEST/BEND RADIUS 4 INCH TEMPERATURE RANGE -40 F - 125 F PIRANHA LL-8 (DAYCO 05408-500)		
2	2500	FT	0020 - (500) FT. ROLL 3/4 INCH S912 SEWER CLEANER HOSE HOSE I.D. 0.765 INCH HOSE O.D. 1.145 INCH BLUE ABRASION RESISTANT POLYURETHANE COVER WITH RED POLYESTER TUBE INSIDE. REINFORCED WITH (1) BRAID OF POLYESTER FIBER. MAX. OPERATING PRESSURE - 3,000 PSI MINIMUM TEST/BEND RADIUS 4 INCH TEMPERATURE RANGE -40F - 125F PIRANHA HP-12 (DAYCO-5912-500)		
3	6000	FT	0030 - (500) FT. ROLL 1 INCH S916 SEWER CLEANING HOSE. HOSE I.D. - 1.000 INCH HOSE O.D. - 1.465 INCH BLUE ABRASION RESISTANT POLYURETHANE COVER WITH RED POLYESTER TUBE INSIDE. REINFORCED WITH (1) BRAID OF POLYESTER FIBER. MAX. OPERATING PRESSURE - 3,000 PSI MINIMUM TEST/BEND RADIUS 8 INCH TEMPERATURE RANGE -40 F - 125 F PIRANHA HP-16 (DAYCO-5916-500)		
4	35	EA	0040 - SLIPPER HOSE GUIDE WITH EYE AND 24 FOOT ROPE. 3 INCH X 36 INCH FLEXIBLE HOSE WITH CUFFS ON EACH END FOR QUICK INSTALLATION PART NO. DO-89		
5	1	EA	0050 - 8 INCH DOUBLE BOLT - POWER CLAMP HEAVY DUTY CONSTRUCTION CLAMP IS USED		

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00098044

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
6	1	EA	WITH 8 INCH KANAFLEX HOSE VACCON NO. 680-0016 0060 - 3 INCH DOUBLE BOLT - POWER CLAMP HEAVY DUTY CONSTRUCTION. CLAMP IS USED		
7	32	EA	WITH 3 INCH KANAFLEX HOSE VACCON NO. 680-0080 0070 - 8 INCH QUICK CLAMP - HEAVY DUTY CONSTRUCTION. QUICK CLAMP IS NEEDED WHEN USING FLANGES. VACCON NO. 680-0015		
8	1	EA	0080 - 8 INCH x 6 FEET 10 INCH KANAFLEX HOSE - 180 AR HOSE VACCON NO. 690-0025 HOSE ONLY		
9	1	EA	0090 - 3 INCH x 30 FEET KANAFLEX HOSE - 180 AR HOSE VACCON NO. 680-0079 HOSE ONLY		
10	1	EA	0100 - PORTABLE HYDRAULIC SWAG MENDER TOOL FOR USE IN FIELD OR SHOP. CRIMPER NO. 22-682 REPAIRS 3/4 INCH AND 1 INCH HOSE ENDS AND MENDERS TO DAYCO SEWER CLEANING HOSE. TOOL MUST HAVE (2) DIES, (1) PUSHER, AND (2) MALE END FITTINGS INCLUDED FOR BOTH 3/4 INCH AND 1 INCH DAYCO SEWER HOSE.		
11	1	EA	0110 - MANUAL DOUBLE BOLT CRIMPER FOR USE IN FIELD OR SHOP. CRIMPER NO. S16 REPAIRS 1/2 INCH HOSE ENDS AND MENDERS TO DAYCO SEWER CLEANING HOSE. TOOL MUST HAVE (2) DIES, (1) PUSHER, AND (2) 1/2 INCH MALE ENDS INCLUDED FOR COMPLETE ASSEMBLY TO REPAIR 1/2 INCH DAYCO SEWER HOSE.		
12	1	EA	0120 - SANITARY NOZZLE 30 DEGREE MATERIAL - BODY - SPECIAL WEAR RESISTANT STEEL (SURFACE HARDENED/TREATED) MAXIMUM WORKING PRESSURE AT TOOL - 4000 PSI ALL TRUCKS HAVE DIFFERENT VARIATIONS ON THE PUMP THEREFORE, WHEN ORDERING MUST HAVE GPM AND PSI OF PUMP AND LENGTH OF HOSE ON REEL.		

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00098044

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
13	1	EA	ONE HALF INCH NOZZLES HAVE (6) CARBIDE INSERTS WITH OR WITHOUT FWD JET. NOZZLE NO. 30.050 HAVE DIAMETER 1.14 INCH LENGTH 1.81 INCH WEIGHT .25 LBS RECOMMENDED CLEANING PIPE RANGE 2.5 INCH - 8 INCH		
14	1	EA	0130 - 3/4 INCH NOZZLE HAVE (6) CERAMIC INSERTS WITH OR WITHOUT FWD. JET. NOZZLE NO. 30.075 HAS DIAMETER 1.50 INCH LENGTH 2.36 INCH WEIGHT .62 POUNDS. RECOMMENDED CLEANING PIPE RANGE 3.2 INCH - 10 INCH		
15	1	EA	0140 - 1 INCH NOZZLE HAVE (6) CERAMIC INSERTS WITH OR WITHOUT FWD. JET. NOZZLE NO. 30.100 HAS DIAMETER 1.89 INCH LENGTH 3.35 INCH WEIGHT 1.50 POUNDS. RECOMMENDED CLEANING PIPE RANGE 6 INCH - 14 INCH.		
16	1	EA	0150 - PENETRATOR & SLUDGE GRENADE 10 DEG. AND 30 DEG COMBO USED FOR REMOVAL OF LARGE AMOUNTS IF LOOSE DEBRIS MATERIAL - BODY - SPECIAL WEAR RESISTANT STEEL (SURFACE HARDENED/TREATED) NOZZLE USES POSITIVE WATERFLOW DESIGNED FOR MINIMUM WEAR AND TEAR. MAXIMUM WORKING PRESSURE AT TOOL - 4000 PSI ALL TRUCKS HAVE DIFFERENT VARIATIONS ON THE PUMP THEREFORE, WHEN ORDERING MUST HAVE GPM AND PSI OF PUMP AND LENGTH OF HOSE ON REEL. HALF INCH NOZZLES HAVE (6) CERAMIC INSERTS WITH OR WITHOUT FWD JET. NOZZLE NO. 40.050 HAS DIAMETER 1.89 INCH LENGTH 3/14 INCH WEIGHT 1.76 POUNDS.		
17	1	EA	0160 - 3/4 INCH NOZZLE HAS (8) CERAMIC INSERTS WITH OR WITHOUT FWD JET. NOZZLE NO. 40.075 HAS DIAMETER 2.28 INCH LENGTH 4.09 INCH WEIGHT 3.19 POUNDS.		
18	1	EA	0170 - 1 INCH NOZZLE HAS (10) CERAMIC INSERTS WITH OR WITHOUT FWD JET. NOZZLE NO. 40-100A HAS DIAMETER 3.11 INCH LENGTH 5.35 INCH WEIGHT 8.16 POUNDS.		
			0180 - CHISEL POINT NOZZLE FOR OPENING MATERIAL - BODY - SPECIAL WEAR RESISTANT		

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00098044

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			STEEL (SURFACE HARDENED/TREATED) NOZZLE USES POSITIVE WATERFLOW DESIGNED FOR MINIMUM WEAR AND TEAR. MAXIMUM WORKING PRESSURE AT TOOL - 4000 PSI ALL TRUCKS HAVE DIFFERENT VARIATIONS ON THE PUMP THEREFORE, WHEN ORDERING MUST HAVE GPM AND PSI OF PUMP AND LENGTH OF HOSE ON REEL. HALF INCH NOZZLE HAS (4) FRONT CERAMIC INSERTS AND (4) REAR CERAMIC INSERTS. NOZZLE NO#40.050 HAS DIAMETER 1.14 INCH LENGTH 2.60 INCH WEIGHT .34 LBS.		
19	1	EA	0190 - 3/4 INCH NOZZLE HAS (4) FRONT CERAMIC INSERTS AND (4) REAR CERAMIC INSERTS. NOZZLE NO. 60.075 HAS DIAMETER 1.50 INCH, LENGTH 3.15 INCH, AND WEIGHT .70 POUNDS		
20	1	EA	0200 - 1 INCH NOZZLE HAS (4) FRONT CERAMIC INSERTS AND (6) REAR CERAMIC INSERTS. NOZZLE NO. 60.100 HAS DIAMETER 1.90 INCH, LENGTH 3.54 INCH, AND WEIGHT 1.10 POUNDS		
21	1	EA	0210 - 1/2 INCH NOZZLE HAS (3) REAR CERAMIC INSERTS AND (4) ROTO CERAMIC INSERTS. NOZZLE NO. 02.040AS HAS DIAMETER 1.6 INCH, LENGTH 3.3 INCH AND WEIGHT 1.21 POUNDS. HRH CLEANING ROTOJET NOZZLE USED FOR REMOVAL OF GREASE and SLUDGE. MATERIAL - BODY - SPECIAL WEAR RESISTANT STEEL (SURFACE HARDENED/TREATED) NOZZLE HAS 45 DEG. REARWARD ANGLE USED FOR HIGH CLEANING EFFICIENCY AND LOWER WATER CONSUMPTION. MAXIMUM WORKING PRESSURE AT TOOL - 4000 PSI ALL TRUCKS HAVE DIFFERENT VARIATIONS ON THE PUMP THEREFORE, WHEN ORDERING MUST HAVE GPM AND PSI OF PUMP AND LENGTH OF HOSE ON REEL.		
22	1	EA	0220 - 3/4 INCH NOZZLE HAS (3) REAR CERAMIC INSERTS AND (4) ROTO CERAMIC INSERTS. NOZZLE NO. 02.050B HAS DIAMETER 2.0 INCH, LENGTH 4.0 INCH, AND WEIGHT 2.50 LBS.		
23	1	EA	0230 1 INCH NOZZLE HAS (3) REAR CERAMIC INSERTS AND (4) ROTO CERAMIC INSERTS.		

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00098044

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
24	15	EA	NOZZLE NO. 02.060 HAS DIAMETER 2.4 INCH, LENGTH 4.1 INCH, AND WEIGHT 3.10 LBS. 0240 - HRV FORWARD CLEANING ROTATOR NOZZLES USED FOR FOWARD FLUSHING OF GREASE & SLUDGE NOZZLE HAS A FORWARD ROTATING IMPACT ANGLE OF APPROXIMATELY 45 DEGREES THAT PUSHES ALL DEBRIS FORWARD. MAXIMUM WORKING PRESSURE AT TOOL - 4000 PSI MATERIAL - BODY - SPECAL WEAR RESISTANT STEEL (SURFACE HARDENED/TREATED) ALL TRUCKS HAVE DIFFERENT VARIATIONS ON THE PUMP THEREFORE, WHEN ORDERING MUST HAVE GPM AND PSI OF PUMP AND LENGTH OF HOSE ON REEL. ONE HALF INCH NOZZLE HAS (3) REAR CERAMIC INSERTS AND (4) ROTO CERAMIC INSERTS. NOZZLE NO 03.050A HAS DIAMETER 2.0 INCH LENGTH 4.0 INCH WEIGHT 2.50 LBS.		
25	1	EA	0250 - 3/4 INCH NOZZLE HAS (3) REAR CERAMIC INSERTS AND (4) ROTO CERAMIC INSERTS. NOZZLE .03.050B HAS DIAMETER 2.0 INCH, LENGTH 4.0 INCH AND WEIGHT 2.50 LBS.		
26	1	EA	0260 1 INCH NOZZLE HAS (3) REAR CERAMIC INSERTS AND (4) ROTO CERAMIC INSERTS. NOZZLE NO .03.060 HAS DIAMETER 2.4 INCH, LENGTH 4.1 INCH, WEIGHT 3.10 POUNDS.		
27	1	EA	0270 - 3/4 INCH NOZZLE HAS (8) REAR CERANIC INSERTS AND SWIVEL JOINT. NOZZLE NO. 50.075 HAS LENGTH 13.2 INCH, WIDTH 4.7 INCH, HEIGHT 4.3 INCH AND WEIGHT 22 POUNDS, CERAMIC INSERTS HAVE (5) YEAR WARRANTY. BULLDOZER NOZZLE 8 INCH TO 50 INCH CLEANING LARGE PIPE, STORM DRAINS OR SANITARY SEWER. BULLDOZER HAS TO BE USED WITH SWIVEL JOINT. WORKING PRESSURE 80 GPM AT 2000 PSI. ALL GLIDE BLADES ARE HARDENED STEEL AND INTERCHANGABLE. THESE BLADES HAVE GOOD GLIDING ABILITY FORWARD AND BACKWARDS, DUE TO THE EDGE COVERAGE PROVIDED.		
28	1	EA	0280 1 INCH NOZZLE HAS (8) REAR CERAMIC INSERTS AND SWIVEL JOINT.		

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00098044

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
29	5	EA	NOZZLE NO .50.100 HAS LENGTH 17.3 INCH, WIDTH 6.3 INCH, HEIGHT 5.9 INCH, AND WEIGHT 53 POUNDS CERAMIC INSERTS HAVE (5) YEAR WARRANTY 0290 - 3/4 INCH ALUMINUM SAND/STORM NOZZLE USED FOR CLEANING HEAVY GREASE-FILLED LINE. ALL TRUCKS HAVE DIFFERENT VARIATIONS ON THE PUMP THEREFORE, WHEN ORDERING MUST HAVE GPM AND PSI OF PUMP. VACCON NO. 681-0111 HAS (6) REAR REPLACEABLE JETS AT 17/24 DEGREE AND (1) FORWARD REPLACEABLE JET. THIS NOZZLE IS NOT SUBJECT TO (5) YEAR WARRANTY.		
30	1	EA	0300 - CARBIDE REPLACEMENT JETS FOR 3/4 INCH ALUMINUM/SAND STORM NOZZLE. THESE JETS ARE NOT SUBJECT TO (5) YEAR WARRANTY.		
31	15	EA	0310 1 INCH ALUMINIUM SAND/STORM NOZZLE USED FOR HEAVY GREASE-FILLED LINE. ALL TRUCKS HAVE DIFFERENT VARIATIONS ON THE PUMP THEREFORE, WHEN ORDERING MUST HAVE GPM AND PSI OF PUMP. VACCON NO. 681-0660 HAS (16) REAR REPLACEABLE JETS AT 17/24 DEGREE AND 1 FORWARD REPLACEABLE JET. THIS NOZZLE NOT SUBJECT TO (5) YEAR WARRANTY.		
32	1	EA	0320 - CARBIDE REPLACEABLE FRONT JET. VACCON NO. 681-0661. THESE INSERTS NOT SUBJECT TO (5) YEAR WARRANTY.		
33	1	EA	0330 - CARBIDE REPLACEABLE REAR JETS. VACCON NO. 681-0662. THESE INSERTS NOT SUBJECT TO (5) YEAR WARRANTY.		
34	1	EA	0340 - 1/2 INCH SCRAPER HAS NO SKIDS AND HAS (3) REAR CERAMIC INSERTS AND (3) ROTO CERAMIC INSERTS. THE 1/2 INCH SCRAPER CLEANS 3 INCH - 6 INCH PIPE SCRAPER NO. 10.060A HAS DIAMETER 2.4 INCH, LENGTH 4.9 INCH AND WEIGHT 3 POUNDS		
35	1	EA	0350 - 3/4 INCH SCRAPER HAS NO SKIDS AND HAS (3) REAR CERAMIC INSERTS AND (3)		

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00098044

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
36	1	EA	ROTO CERAMIC ROTO INSERTS. THE 3/4 INCH SCRAPER CLEANS 3 INCH - 6 INCH PIPE. SCRAPER NO .10.060B HAS DIAMETER 2.4 INCH, LENGTH 4.9 INCH AND WEIGHT 3 POUNDS 0360 - 1 INCH SCRAPER HAS NO SKIDS AND HAS (3) REAR CERAMIC INSERTS AND (3)		
37	1	EA	ROTO CERAMIC INSERTS. THE 1 INCH SCRAPER CLEANS 6 INCH - 10 INCH PIPE. SCRAPER NO. 10.080 HAS DIAMETER 9.3 INCH, LENGTH 6.9 INCH, AND WEIGHT 16 POUNDS. 0370 - 1 INCH SCRAPER HAS SKIDS AND HAS (3) REAR CERAMIC INSERTS AND (3) ROTO		
38	20	EA	CERAMIC INSERTS. THE 1 INCH SCRAPER CLEANS 8 INCH - 14 INCH PIPE. SCRAPER NO. 10.200 HAS DIAMETER 14 INCH, LENGTH 17.7 INCH, AND WEIGHT 48 POUNDS. 0380 - 3/4 INCH ULTIMATE PENETRATOR NOZZLE USED FOR HEAVY DUTY CLEANING.		
39	1	EA	VACCON NO. 681-0144 NOZZLE HAS (5) REAR CARBIDE REPLACEABLE JETS AT 10 DEGREE ANGLE. ALL TRUCKS HAVE DIFFERENT VARIATIONS ON PUMP THEREFORE, WHEN ORDERING MUST HAVE GPM AND PSI OF PUMP. NOZZLE NOT SUBJECT TO (5) YEAR WARRANTY. 0390 - FRONT REPLACEMENT CARBIDE JET FOR 3/4 INCH ULTIMATE PENETRATOR NOZZLE		
40	1	EA	JETS NOT SUBJECT TO (5) YEAR WARRANTY 0400 - REAR REPLACEMENT CARBIDE JETS FOR 3/4 INCH ULTIMATE PENETRATOR NOZZLE		
41	1	EA	JETS NOT SUBJECT TO (5) YEAR WARRANTY 0410 - 1 INCH ULTIMATE PENETRATOR NOZZLE USED FOR HEAVY DUTY CLEANING.		
			VACCON NO. 681-0160 NOZZLE HAS (5) REAR CARBIDE REPLACEABLE JETS AT 12 DEGREE ANGLE. ALL TRUCKS HAVE DIFFERENT VARIATIONS ON THE PUMP THEREFORE, WHEN ORDERING MUST HAVE GPM AND PSI OF PUMP AND LENGTH OF HOSE ON REEL. NOZZLE NOT SUBJECT TO (5) YEAR WARRANTY.		

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00098044

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
42	1	EA	0420 - FRONT REPLACEMENT CARBIDE JET FOR 1 INCH ULTIMATE PENETRATOR NOZZLE JETS NOT SUBJECT TO (5) YEAR WARRANTY.		
43	1	EA	0430 - REAR REPLACEMENT CARBIDE JETS FOR 1 INCH ULTIMATE PENETRATOR NOZZLE. JETS NOT SUBJECT TO (5) YEAR WARRANTY.		
44	1	EA	0440 - 1/2 INCH FINNED PIPE SKID EXTENSION SKID NO. 3007-9000 USES 1/2 INCH SCHEDULE 80 PIPE LENGTH 4 INCH FIN SIZE 3 INCH		
45	1	EA	0450 - 3/4 INCH FINNED PIPE SKID EXTENSION SKID NO 3021-9100 USES 3/4 INCH SCHEDULE 80 PIPE LENGTH 6 INCH FIN SIZE 3 INCH		
46	1	EA	0460 - 1 INCH FINNED PIPE SKID EXTENSION SKID NO. 3021-9200 USES 1 INCH SCHEDULE 80 PIPE LENGTH 6 INCH FIN SIZE 3 INCH		
47	1	EA	0469 - NOZZLE EXTENSION, SOLID TUBE, SIZE 1-7/8 INCH OD X 12 INCH LONG, 1 INCH NPT EXCEED 15 INCH LONG		
48	1	EA	0470 - SMART STICK 48 INCH PROBE ROD WITH HANDLE AND TIP (NO. TPA 48)		
49	80	EA	0480 - SMART STICK 60 INCH PROBE ROD WITH HANDLE AND TIP (NO. TPA 60)		
50	1	EA	0490 - INDUSTRIAL STYLE WASH DOWN GUN. RATED TO 26 GPM AT 3500 PSI, 1/2 INCH DIAMETER GUN WITH 20 INCH LANCE BARRELL AND WITH SIDE HANDLE AND NOZZLE PROTECTOR NO. AA43H HANDGUN		
51	1	EA	0500 - QUICK DISCONNECT KIT WITH HANDGUN HAS COUPLER AND PLUG WITH METAL TIE.		

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00098044

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
52	1	EA	0510 - REEL SWIVEL/ROTARY JOINT STYLE 90 DEGREE. VACCON NO. 663-0002 SWIVEL SIZE 1-1/2 INCH RATED AT 6000 PSE SWIVEL HAVE REPLACEABLE PACKING.		
53	1	EA	0520 - SWIVEL REPLACEABLE PACKING - VACCON NO. 663-0111		
54	1	EA	0530 - BALL VALVE 1 INCH CARBON STEEL - VACCON NO. 662-0106		
55	1	EA	0540 - NEEDLE VALVE 1/8 INCH NPT SCREW STYLE HANDLE VACCON NO. 623-0170		
56	1	EA	0550 - PIPE FLANGE WELDMENT 8 INCH DIAMETER X 36 INCH LONG. VACCON NO. 800-0063 HEAVY GAUGE ALUMINUM PIPE INCLUDES STEEL FLANGES NO. UA25637C UEMSI NO.		
57	1	EA	0560 - PIPE FLANGE WELDMENT 8 INCH DIAMETER X 60 INCH LONG. VACCON NO. 800-0064 NO. UA25637 HEAVY GAUGE ALUMINUM PIPE INCLUDES STEEL FLANGES		
58	1	EA	0570 - PIPE FLANGE WELDMENT 8 INCH DIAMETER X 72 INCH LONG VACCON NO. 800-0089 NO. UA25637D HEAVY GAUGE ALUMINUM PIPE INCLUDES STEEL FLANGES		
59	1	EA	0580 - DAYCO HOSE FITTINGS TO REPAIR SEWER CLEANING HOSE 1/2 INCH I.D. HOSE 4000 PSI MALE FITTING NO. 041-HY08-08MP		
60	1	EA	0590 - DAYCO HOSE FITTINGS TO REPAIR SEWER CLEANING HOSE		

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00098044

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
61	55	EA	1/2 INCH I.D. HOSE 4000 PSI FEMALE FITTING NO. 041-HY08-08FN 0600 - DAYCO HOSE FITTINGS TO REPAIR SEWER CLEANING HOSE NO. UEM757ME 3/4 INCH I.D. HOSE 3000 PSI MALE FITTING NO. 041-HY12-12MP		
62	1	EA	0610 - DAYCO HOSE FITTINGS TO REPAIR SEWER CLEANING HOSE 3/4 INCH I.D. HOSE 3000 PSI FEMALE FITTING NO. 041-HY12-12FN		
63	30	EA	0620 - DAYCO HOSE FITTINGS TO REPAIR SEWER CLEANING HOSE 3/4 INCH I.D. HOSE 3000 PSI MENDER NO. 041-SQ12-12RM		
64	60	EA	0630 - DAYCO HOSE FITTINGS TO REPAIR SEWER CLEANING HOSE 1 INCH I.D. HOSE 3000 PSI MALE FITTING NO. 041-HY16-16MP		
65	1	EA	0640 - DAYCO HOSE FITTINGS TO REPAIR SEWER CLEANING HOSE 1 INCH I.D. HOSE 3000 PSI FEMALE FITTING NO. 041-HY16-16FN NO. UEM1010FS		
66	20	EA	0650 - DAYCO HOSE FITTINGS TO REPAIR SEWER CLEANING HOSE 1 INCH I.D. HOSE 3000 PSI MENDER NO. 041-SQ16-16RM		
67	110	EA	0660 - MANHOLE COVER HOOK HEAT TREATED STEEL CONSTRUCTION. VACCON NO. 681-0084 24 INCH LONG WITH 90 DEGREE ANGLE TO HOOK. NO. MHH-26 EXCEED 26 INCH LONG		
68	1	EA	0670 - TOP MANHOLE ROLLER ASSEMBLY USED OVER MANHOLE FOR REMOTE EASEMENT SET-UP.		

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00098044

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			STANDARD DUTY ANGLE IRON CONSTRUCTION INCLUDES 6 INCH ALUMINUM ROLLER.		