



ATLANTA PUBLIC SCHOOLS

**Procurement Services
130 Trinity Avenue, S.W.
5th Floor
Atlanta, Georgia 30303**

INVITATION TO BID

For

**Band Uniforms
For
Washington High School**

November 9, 2007

Solicitation Number: 113007-03

Due Date: November 30, 2007

ATLANTA PUBLIC SCHOOLS ADVERTISEMENT FOR INVITATION TO BID

NOTICE TO BIDDERS

Atlanta Public Schools invites bids for band uniforms for Washington High School.

Offerors should read the general terms and conditions and joint venture affidavit which may be obtained at: http://www.atlanta.k12.ga.us/content/purch_solicit.aspx

If you are unable to download these documents, you may contact the assigned purchasing agent: Joyce Carter at (404) 802-2593 or jcarter@atlanta.k12.ga.us.

Sealed bids shall be received in the Office of Procurement Services of the Atlanta Public Schools, 130 Trinity Ave. S.W., 5th Floor Atlanta, Georgia 30303 up to:

10:00 a.m. E.S.T (as determined by the time stamp clock in the APS Procurement Services Department)
Friday, November 30, 2007

ATLANTA PUBLIC SCHOOLS

**Cecil S. Moore, CPPB, CPPO, C.P.M.
Director, Procurement Services**

TENTATIVE TIMELINE

November 9, 2007:	Release ITB to the marketplace
November 15, 2007:	Deadline for written questions time
November 19, 2007:	Response to questions to be posted to the APS website faxed or e-mailed.
November 30, 2007:	ITB due in APS Procurement Services by time.
December 5, 2007:	Recommendation to the Board of Education.
December 10, 2007:	Final Board Approval.

**ATLANTA PUBLIC SCHOOLS
BAND UNIFORMS
FOR WASHINGTON HIGH SCHOOL**

TABLE OF CONTENTS

Specifications	page	4
Bid Form	page	36
Non-Collusive Certificate	page	39
Non –Submittal Response Form	page	40
Bidder Affirmation Form	page	41
Bidder Information Form	page	43
Bidder Reference Form	page	44
Solicitation Checklist	page	45

**ATLANTA PUBLIC SCHOOLS
BAND UNIFORMS
FOR WASHINGTON HIGH SCHOOL**

1.0 PURPOSE

1.1 The purpose of this bid is to provide high school band uniforms listed in the attached specifications.

1.2 In using this method for solicitation, we are requesting your best effort in seeking the lowest cost for our requirements. To be entitled to consideration, sealed bids shall be presented in accordance with the instructions of this solicitation and within the timeframe specified. It shall be the responsibility of the selected offeror to meet all specifications and guidelines set forth herein. Each bid shall be opened and read publicly. The APS, at its discretion, determines the criteria and process whereby bids are evaluated and awarded. No damages shall be recoverable by any challenger as a result of these determinations or decisions by the District.

2.0 SPECIFICATIONS

2.1 It is the intent of the owner representative to audit and inspect each sample for strict compliance to the specifications. They encompass methods and materials yielding only the highest quality garments. These standards are so stated to insure a garment will have a functional lifetime retention period of at least 10-12 years, with normal care and maintenance.

2.2 MATERIALS

____Fabric identification number: 8145*

Supplier: Raeford Uniform Fabrics Company

Attributes: 100% Worsted Wool. Fine wale whip cord, weight is 15 to 16 ounces. Water repellent and mothproof treated. Guaranteed colorfast against light, perspiration, dry-cleaning, wet pressing, dry pressing, wet crocking and dry crocking.

 X Fabric identification number: 7744*

Supplier: Raeford Uniform Fabrics Company

Attributes: 45% Worsted Wool/55% Dacron Polyester. Fine wale whip cord, weight is 14 to 14 1/2 ounces. Water repellent and mothproof treated. Guaranteed colorfast against light, perspiration, dry-cleaning, wet pressing, dry pressing, wet crocking and dry crocking.

*All 100% Wool and 55% Dacron/45% Wool fabrics (except 11-11 1/2 oz. tropical weave) are to be subjected to a cold water shrinking process. The method to be used includes measuring the goods, passing the material through a mixture of cold water and a wetting agent, drying the material in a tension free state, rolling the material onto wooden rollers where it is allowed to relax for 12 hours, decating the material, remeasuring the cloth and shipping the material to the manufacturer for cutting.

____Fabric identification number: _____

Supplier: _____

Attributes: 100% Polyester. The material has been thoroughly tested and has proven to meet the highest industry standards: Abrasion and pilling resistant, crease retention and wrinkle recovery. It shall be understood, that once defined in the style specifications, NO SUBSTITUTIONS are allowed.

 X Fabric identification number: 4030 RANGE

Supplier: RAEFORD - A DIVISION of BURLINGTON

INDEST. _____

Content: 100% Polyester

**ATLANTA PUBLIC SCHOOLS
BAND UNIFORMS
FOR WASHINGTON HIGH SCHOOL**

☒ Fabric identification number: POLY PRO RANGE
Supplier: WEBSTER FABRICS
Content: 100% Polyester

☒ Fabric identification number: LUSTRE GLO RANGE
Supplier: HAMBURGER WOOLEN
Content: 82% Rayon/18% Metallic

2.3 Sample fabric swatches shall accompany each bid invitation. They shall be properly labeled to include: weight, composition and shade (color). When using Raeford Uniform Fabrics Company's 8145 or 7744 materials, a "kaumagraph" must appear on the back of the fabrics (except white) insuring a first quality fabric. The "kaumagraph" used on sample uniforms of 8145 and 7744 materials is found on the inside of the uniforms and will look like the illustration below. NOTE: KAUMAGRAPHS NEED NOT APPEAR ON FABRIC SWATCHES.



EXACT SIZE OF KAUMAGRAPH

3.0 THREAD: All seams, blind-stitching, top-stitching, padding and buttonholes, shall be sewn with FILCO #50 polyester core, cotton wrap, soft left twist thread. It must have a tensile strength of 4.7 to 4.9 pounds and a melting point for heat resistance of 480 degrees. It must be vat non-subliming dyed, boil fast and be dry-cleanable.

4.0 BRAID: Shall be of A.H. rice quality or equal, color fast under proper dry-cleaning procedures. Most braid designs with very tight turns or curves using 1/4" or wider will be applied with a double needle machine, using two threads for a more secure attachment and to prevent curling of the edges.

5.0 ZIPPERS: Shall be solid brass YKK or equal quality, unless specified otherwise, center-buttressed zippers when required, shall be sandwiched in, rather than sewn on the outside of the inside facing for added strength.

6.0 BUTTONS: Metal buttons will be of Waterbury quality or equal. All will be secured using two methods only. The use of a two-hole stay button, machine lock-stitched through the metal shank, coat material and two hole stay button, and or, the use of a washer and ring.

7.0 DIRECT EMBROIDERY: Swiss embroidery shall be applied with the use of a "Barudan" computerized embroidery machine or equal quality, to ensure consistent quality on every uniform from year to year. Bonaz type embroidery shall be made with a Cornelli, or equal, embroidery machine.

**ATLANTA PUBLIC SCHOOLS
BAND UNIFORMS
FOR WASHINGTON HIGH SCHOOL**

8.0 COATS

8.1 PATTERNS: The patterns for coats shall be made separately for male and female utilizing a computerized system of Gerber, Micro dynamics, Lectra, Mark-A-Matic, or a similarly approved system. They will be designed specifically for Children, Adolescent and Adult age group reflecting up to date body proportions with ample side body outlets, allowing for simple alterations year to year. All Hard Collar Coats shall have a Four (4) piece front construction, allowing for proper chest, bust and waist suppression in all size ranges, thus eliminating unsightly bust darts. Insleeve and side body seams must be 1" double, to allow for proper alterations. (See Diagram "A")

8.2 INNER CONSTRUCTION: The inner foundation or coat canvas shall consist of fine quality material 6.08 oz. per square yard and comprised of 64.4% Rayon, 21.2% Polyester and 14.4% Hair, running the full length of the coat front and over to the armholes. The chest section shall be reinforced with bias "Nylo-Flex", a material comprised of 72% polyester, 28% rayon and 4.2 ounces per square yard, cut on a bias and covered by an additional section of felt, applied with rows of zig-zag stitching assuring good appearance and shape retention for each coat, and eliminates the bulkiness of several layers of coat canvas, which may or may not be cut on the bias for flexibility. (See Diagram "B"). On waist length coats, except those with a center front butted zipper, a 3/8" non-bias tape will run down the front and along the base of the coat to ensure body and shape retention. On seat length coats, except those with a center front butted zipper, the 3/8" non-bias tape will run down the front. There will be a 1" pleat at the bottom of the coat lining to allow for freedom of movement. The hem turn-up, at the coat bottom, is bound with a bias tape then blind-stitched through the lining and catching the outer shell fabric. A vertical lining pleat, no less than 1", shall extend from the base of the collar down to the natural waistline, to allow for comfort when the arms are extended in a playing position. (See Diagram "E").

8.3 SHOULDER PADS: Must be pre-formed, having an additional support of coat canvas material sandwiched between the padding and then "needle punch" constructed to retain its shape and form. A pad that is constructed with soft cotton wadding, wrapped in a cheesecloth material, will not retain its shape and has a tendency to break-down or deteriorate with normal wear abrasion and repeated dry-cleaning process.(See Diagram "C").

8.4 ARMHOLE: Shall be constructed using a separate operation wherein, the lining, seam allowance, shoulder pad, sleeve head, edge tape, coat canvas and armhole seams are joined together by machine 'zig-zag' stitching, working in the lining fullness, allowing for ease of movement, thus creating the strongest armhole construction in the industry. Hand-sewing various points of the armhole by merely tacking the sleeve and coat lining does not allow for flexibility in this area, where musicians are constantly applying stress through rigorous arm movement. (See Diagram "C").

8.5 SLEEVE HEADS: Will be made of coat canvas material, the same as the inner coat foundation. It must be at least 6" in width, triple folded and stitched, cut on a bias for flexibility and be at least 10" long to ensure a proper and firm shoulder support. Soft cotton wadding and or, fabric 'scraps' will not offer the firm support necessary for shape retention and appearance as this material has a tendency to 'break-down, flake and deteriorate through excessive use and normal dry-cleaning process. (See Diagram "C").

8.6 PERSPIRATION SHIELDS: Shall be made of a colorfast Athletic Felt comprised of 70% wool, 30% rayon and 7.5 ounces per square yard, the highest wool content available in felt, thus having the highest absorbancy. The shields must be bound with 15/16" rayon binding, machine stitched all around securely. Cotton binding and merely tacking the shield is not an acceptable procedure, as the cotton will absorb perspiration and weaken the thread, causing it to break under minimal stress. (See Diagram "C & E").

**ATLANTA PUBLIC SCHOOLS
BAND UNIFORMS
FOR WASHINGTON HIGH SCHOOL**

8.7 COLLAR CONSTRUCTION: Standard military hard collar; constructed using a dry-cleanable 'Mylar', covered on both sides with a heavy Pellon interfacing then bound with a fabric-backed vinyl binding to prevent the mylar from wearing through the shell fabric. The use of cotton or self-fabric to bind the mylar frame will be deemed unacceptable, for it will not prevent wear of the outer fabric. The hook and eye closure shall be threaded with non-bias tape, then stitched through the mylar frame. All braid or ornamentation on the outer collar shell must be stitched through and through the mylar frame to ensure strength and shape retention. This construction will allow for a self-conforming collar so it will fit several neck sizes without binding or causing discomfort to the wearer. Riveting the hook and eye to the frame could possibly cause the frame to 'crack' under normal use and dry-cleaning processes, not an acceptable procedure. (See Diagram "D").

8.8 OPEN COLLAR LAPEL COATS: A 3/4" non-bias bridle tape will be placed where the lapels roll and blind stitched to retain smooth lines and afford a permanent shape. The under collar on notch and peak lapel coats, will be interfaced with bias under collar canvas and blind-stitch padded to form properly around the neck. Shawl under collars will also be padded and the facings will be lined with Pellon, to add support and create an elegant tailored finish. the same 3/4" bridle tape construction will also apply.

8.9 COLLAR LINERS: The removable liners will be numbered, made of an absorbent webbing and will be bound or piped all around with a washable cotton binding. It will have four (4) heavy duty metal non-rusting or tarnishing snaps. These four snaps shall be positioned to avoid any of the numerous pressure points in the wearers neck. The liner will meet or slightly overlap in the front to offer complete protection to the outer material and the wearers Adams Apple from the hook and eye attachment. This liner is to be washable. Fabric, other than absorbent is not acceptable. (See Diagram "D").

8.10 COAT AND SLEEVE LINING: Shall be made of 100% Polyester twill with a Satin Sheen finish. The lining quality will have a yarn count of 120 X 76. The coat lining will have a generous 1" pleat running vertically down the center back for more freedom of movement and eliminate tightness or sagging. This lining shall be properly cut and fitted to correspond with the style coat selected. The lining at the 'armhole' must be securely fastened to the coat by machine 'zig-zag' stitching for strength. Hand sewing or felling, will not provide the needed strength and is not an accepted method. (See Diagram "E").

8.11 SLEEVE CUFFS-SHOULDER STRAPS: Both sleeve cuffs and shoulder straps will be reinforced with a Pellon interfacing for added shape and body retention. A generous 2 1/2" sleeve cuff is to be provided, having the fabric and the lining continue to the bottom, turned back up and blind stitched to the lining to permit sleeve length alteration without disengaging the lining from the sleeve fabric. This method is known as the "EASY ALTER" sleeve construction. (See Diagram "E").

8.12 BUTTONHOLES: All button holes are to be "cut-first", whether they have a horizontal bar-tack or a fly-tack at the ends. Buttonhole stitches are to completely cover the raw edge of the material and canvas interfacing. A cut-after button hole leaves raw edges and exposes the interfacing, which is unsightly and not acceptable. Thread to be used is Filco #50 for strength and color match. (See Diagram "E").

8.13 POCKETS: Shall be made with fine quality, color fast sized polyester/rayon material and the facing will be reinforced with the shell fabric.

8.14 POCKET FLAPS: Flaps are to be cut and styled in accordance with the basic style of the coat and will have Pellon interfacing to insure proper shape retention and prevent curling at the edges. This interfacing also prevents sagging and puckering. Flaps are to be lined with the same fabric as the shell of the coat.

8.15 UNDERPRESSING AND FINAL PRESSING: After each major sewing operation, the garment will be underpressed and shaped, which insures permanency of contour and style. The final pressing enhances the 'uniforms' overall appearance and style.

ATLANTA PUBLIC SCHOOLS
BAND UNIFORMS
FOR WASHINGTON HIGH SCHOOL

**DIAGRAM
"A"**





DIAGRAM "A" Continued Next Page


DIAGRAM "A" FULL LENGTH

FOUR PIECE FRONT SEAM
FOR PROPER FITTING
OVER THE CHEST
AND WAIST

FOUR PIECE FRONT SEAM
FOR PROPER FITTING
OVER THE CHEST
AND WAIST

1" DOUBLE
SIDE SEAM
FOR
ALTERATIONS

1" DOUBLE
SIDE SEAM
FOR
ALTERATIONS




FULL MALE COAT FRONT

FOUR PIECE BACK SEAM
FOR PROPER FITTING
OVER THE SHOULDERS
AND WAIST

FOUR PIECE BACK SEAM
FOR PROPER FITTING
OVER THE SHOULDERS
AND WAIST

1" DOUBLE
SIDE SEAM
FOR
ALTERATIONS


1" DOUBLE
SIDE SEAM
FOR
ALTERATIONS




FULL MALE COAT BACK

DIAGRAM "A" Continued Next Page

DIAGRAM "A"



FEMALE COAT FRONT



FEMALE COAT BACK

DIAGRAM


"A" FULL LENGTH

FOUR PIECE FRONT SEAM
FOR PROPER FITTING
OVER THE CHEST
AND WAIST

FOUR PIECE FRONT SEAM
FOR PROPER FITTING
OVER THE CHEST
AND WAIST

1" DOUBLE
SIDE SEAM
FOR
ALTERATIONS

1" DOUBLE
SIDE SEAM
FOR
ALTERATIONS




FULL FEMALE COAT FRONT

FOUR PIECE BACK SEAM
FOR PROPER FITTING
OVER THE SHOULDERS
AND WAIST

FOUR PIECE BACK SEAM
FOR PROPER FITTING
OVER THE SHOULDERS
AND WAIST

1" DOUBLE
SIDE SEAM
FOR
ALTERATIONS

1" DOUBLE
SIDE SEAM
FOR
ALTERATIONS



FULL FEMALE COAT BACK

DIAGRAM "B"




DIAGRAM "C"




DIAGRAM "D"





DIAGRAM "E"



**ATLANTA PUBLIC SCHOOLS
BAND UNIFORMS
FOR WASHINGTON HIGH SCHOOL**

9.0 BIBBERS

9.1 PATTERNS: Shall be made separately for Male and Female and designed specifically for children, adolescent and adult age groups reflecting up to date body proportions and designed to eliminate peg legs and baggy seats. These patterns must take into consideration the wearers chest size in addition to the normal trouser requirements. They shall be straight leg and plain front with no cuffs, and designed to permit a high knee-lift, having the extension in the back seat seam area to eliminate any pulling or binding with a full 1 1/2" double in the center back seam to allow for alterations. Facings shall be long enough to cover the bottom of the side spandex gussets. Seams shall be pressed open. (See Diagram "G").

9.2 CROTCH: There shall be a set of four (4) double crotch pieces, serged and stitched. The crotch linings must be placed on both sides of the reinforced seams. The seat seam shall be constructed using a two (2) needle tandem machine, utilizing four (4) Filco #50 threads. (See Diagram "G").

9.3 FRONT ZIPPER: Shall be of solid Brass YKK or equal quality and must be guaranteed for the life of the trouser. The fly facing must be serged on all four (4) sides and cut on the bias to prevent twisting of the fly. The zipper will be bar-tacked at the bottom(horizontally) to properly anchor the zipper. This bar-tack shall consist of no less than 39 stitches per tack. Set above zipper will be 2 enamel snaps of complementary color. (See Diagram "G").

9.4 SPANDEX SIDE INSERTS: All bibbers shall have 7" long spandex elongated pie shaped wedges folded in half, stitched in the upper sides to allow for flexibility in movement. These wedges shall be of the closest color match possible to the garment fabric and stitched with no serging showing on the inside . (See Diagram "G").

9.5 DARTS: All full bibbers will include a 10" dart each side of the back with center at waistline to create proper waist suppression and insure a tailored fit. (See Diagram "G").

9.6 BARTACKING: All areas of stress on the bibbers shall contain a heavy duty 39 stitch bar tack. The bibbers will be bartacked in a minimum of 4 stress points. (See Diagram "G").


9.7 STRIPES: All trouser stripes shall be sewn over the center of the outseam and will be applied with a Lock-Stitch machine. The stripe shall run the full length of the trouser including the turn-up, which shall be a minimum of 3". This type of application will afford a neat, straight stripe appearance. Serged stripes that are set forward or back of the outseam will appear off-center and stripes that applied with a chain-stitch can come loose through wear and abrasion and should not be accepted. (See Diagram "G").

9.8 HEMS: When hemmed, must have a generous 3" turn-up, bound with 1/2" rayon binding so as to allow for easy alterations and alleviate 'bulkiness' in the cuff. (See Diagram "G").

9.9 PERMANENT SUSPENDERS: A built-in suspender will be included in all bibbers. It shall be made of a durable, white or black 1 1/2" nylon webbing material, the same fabric as auto seat belts. It will be sandwiched between the outer shell fabric and the facing, top stitched, ensuring that it will withstand above normal tension. The adjusters will be made of cast nickel metal, that will not rust. (See Diagram "G").

**ATLANTA PUBLIC SCHOOLS
BAND UNIFORMS
FOR WASHINGTON HIGH SCHOOL**

DIAGRAM "G"



**ATLANTA PUBLIC SCHOOLS
BAND UNIFORMS
FOR WASHINGTON HIGH SCHOOL**

10.0 TROUSERS

10.1 PATTERNS: Shall be made separately for Male and Female and designed specifically for children, adolescent and adult age groups reflecting up to date body proportions and designed to eliminate peg legs and baggy seats. They shall be straight leg and plain front with no cuffs, and designed to permit a high knee-lift, having the extension in the back seat seam area to eliminate any pulling or binding with a full 1 1/2" double in the center back seam to allow for alterations. (See Diagram "F").

10.2 WAISTBAND: Will be continuous, and shall be seamed and clean finished at the center back to allow easy alterations. (See Diagram "F").

10.3 WAISTBAND CURTAIN: Shall be made of the same material utilized in the coat lining, ensuring a strong, durable, comfortable curtain. There shall be no less than 2" of Ban-Rol for reinforcement. The regular rise trouser shall have a 3" waistband curtain and the Hi-rise trouser a 5" curtain. A normal 1/2" stitched and turned seam, shall be taken at the top. The bottom of the curtain shall be secured with bartacks or straight machine stitching. (See Diagram "F").

10.4 CROTCH: There shall be a set of four (4) double crotch pieces, serged and stitched. The crotch linings must be placed on both sides of the reinforced seams. The seat seam shall be constructed using a two (2) needle tandem machine, utilizing four (4) Filco #50 threads. (See Diagram "F").

10.5 FRONT ZIPPER: Shall be of solid Brass YKK or equal quality and must be guaranteed for the life of the trouser. The fly facing must be serged on all four (4) sides and cut on the bias to prevent twisting of the fly. The zipper will be bar-tacked at the bottom(horizontally) and on the side (vertically) to properly anchor the zipper. These bar-tacks shall consist of no less than 39 stitches per tack. (See Diagram "F").

10.6 ADJUSTABLE SIDE ZIPPERS: When requested, will be of YKK non-separable aluminum quality or equal. They must be no less than four inches in length to provide approximately 8" of adjustability at the waistline. The zipper must be set in a double welting made by a Reese pocket welting machine. A minimum of 1" X 5 1/2" velcro section, in a compatible color, will be stitched above the zipper to provide for a neat, smooth closure. Optionally, the facing shall also be held in place with a snap attachment consisting of a male snap on elastic stitched into the top facing and three female snap portions on the bottom facing. (See Diagram "F").

10.7 HOOK-FLEX CLOSURE: Shall be made of heavy duty metal and when set, must be reinforce on back and single-needle box stitched, to ensure proper support and strength. (See Diagram "F").


10.8 BARTACKING: All areas of stress on the trousers shall contain a heavy duty 39 stitch bar tack. The trousers will be bartacked in a minimum of 18 stress points. (See Diagram "F").

10.9 STRIPES: All trouser stripes shall be sewn over the center of the outseam and will be applied with a Lock-Stitch machine. The stripe shall run the full length of the trouser including the turn-up, which shall be a minimum of 3". This type of application will afford a neat, straight stripe appearance. Serged stripes that are set forward or back of the outseam will appear off-center and stripes that applied with a chain-stitch can come loose through wear and abrasion and should not be accepted. (See Diagram "F").

10.10 HEMS: When hemmed, must have a generous 3" turn-up, bound with 1/2" rayon binding so as to allow for easy alterations and alleviate 'bulkiness' in the cuff. (See Diagram "F").

10.11 PERMANENT SUSPENDERS: A built-in suspender option will be offered for all trousers. It shall be made of a durable, white 1 1/2" nylon webbing material, the same fabric as auto seat belts. It will

be sandwiched between the waistband and waistband curtain, box stitched, ensuring that it will withstand above normal tension. The adjusters will be made of cast nickel metal, that will not rust. (See Diagram "F").




**ATLANTA PUBLIC SCHOOLS
BAND UNIFORMS
FOR WASHINGTON HIGH SCHOOL**

11.0 CAPE SPECIFICATIONS

11.1 CAPES: Shall consist of an outer shell, a lining and may or may not have interfacing. Capes will be stitched with a 1/2" seam on the outboard edges, turned and top-stitched with a 3/16" stitching. If buttonholes or snaps are to be used, they must be reinforced on the inboard side with Pellon, for the additional support necessary in these areas. Woven numbers are to be set in the right shoulder seam for identification. Fringe, when required, will be doubled for fullness, inserted on the bottom, sandwiched between the fabric and lining, then stitched. (See Diagram K.)

DIAGRAM "K"



**ATLANTA PUBLIC SCHOOLS
BAND UNIFORMS
FOR WASHINGTON HIGH SCHOOL**

12.0 SHAKOS

12.1 SHAKO FRAMES: The frame shall be molded in one solid piece of high impact ABS material not less than 16 ounces, before molding process. This will ensure the frame will not split, crack, melt or disintegrate for the lifetime of the shako under normal usage. (See Diagram "H").

12.2 PLUME SOCKET: The one piece nylon plume socket will be attached with a stove bolt and nut attachment, coated with "Loc-Tite" so it will not vibrate or come loose, not riveted, which could split and damage the frame. (See Diagram "H").

12.3 SHAKO HEADREST: Shall be constructed with expanded, knit-backed marshmallow vinyl, using the "cushion-aire" method of application, stitched completely on the inboard side of the frame. This prevents the thread to come in contact with the wearers head, eliminating perspiration or hair oil to be absorbed into the thread, thus adding years of life and wear. The identification label, stitched to the headrest itself, must list order number, shako number, correct size, city, state and school, must be covered by clear plastic. (See Diagram "H").

12.4 VISOR: Constructed using a three layer design, consisting of a plastic top, duroboard and a green under ply to shade the eyes of the wearer. A 3/4" back tacking is required, using monofilament thread sewn through the frame to prevent the visor from tearing loose. (See Diagram "H").

12.5 CHIN STRAPS: Are to be 3/4" pliable plastic material to conform to the shape of the chin and will be reinforced with metal eyelets at each end. Chin strap to have an adjustable metal buckle of either nickel or gilt and are supported by a center back hook on the shako when not in use. (See Diagram "H").



12.6 BUTTONS: Will be 40 ligne with prongs no less than 1 1/2" in length. This button will pass through a brass eyelet to firmly attach chin strap, front chain and go through the outer shell fabric, plastic frame and the headrest. In order that the buttons will lay perfectly flat, the front chain will have a special clip and eyelet attachment at each end. (See Diagram "H").

12.7 EMBLEMS: Must be of heavy gauge plastic with extra long prongs for attachment through the outer fabric, shako frame and be secured with "lock-washers". Any method of gluing or riveting is not acceptable, repair or replacement would be very difficult. Embroidered emblems are optional. (See Diagram "H").

12.8 TOP AND BOTTOM STRAPS: Shall always be turned and top-stitched. All thread used in shako manufacturing must be monofilament. Cotton thread will deteriorate and is not an acceptable method. (See Diagram "H").

12.9 TUF-TOTE SHAKO BOX: Should be constructed of black, hi-density, 100% polyethylene with a tensile strength of no less than 4800 P.S.I. and carry a minimum 2 year warranty with normal use and care.

DIAGRAM "H"



**ATLANTA PUBLIC SCHOOLS
BAND UNIFORMS
FOR WASHINGTON HIGH SCHOOL**

DETAILED SPECIFICATIONS FOR 140 REGULAR BAND UNIFORMS

13.0 COAT

13.1 STYLE: C-5061, FULL LENGTH FRONT & BACK, CENTER FRONT ZIPPER CLOSURE, SET IN 9" POINTED SLEEVE CAPS, FRONT FITTING SEAMS CURVE INTO ARMHOLES, CONTRASTING CENTER FRONT & CENTER BACK PANELS, BARCODE

13.2 MATERIAL: 7744-8148 ROYAL BLUE_ LINING: WHITE HERRINGBONE

13.3 COLLAR: C-1 OF 7744-8148 ROYAL BLUE W/ROW OF 550 WHITE SET IN 1/4" FROM EDGE. COLLAR TO BE LINED W/4030-E267 BLACK W/NO COLLAR LINER.

13.4 SHOULDER STRAPS: SS-2 OF 7744-8148 ROYAL BLUE, TRIMMED SAME AS COLLAR.

13.5 SHOULDER STRAP BUTTONS: 24L NIC. LYRE. RT. SIDE STRAP TO BE TOP STITCHED DOWN TO COAT ALL AROUND & BABY BARTACKED AT CENTER POINT. LEFT STRAP TO BE TOP STITCHED DOWN TO THE COAT AT POINTED END ONLY W/BARTACK EACH POINT (TOTAL 3 BARTACKS ON LEFT).

13.6 FRONT TRIM: CENTER FRONT PANELS OF 4030-G263 WHITE W/PIPED FITTING SEAMS OF 52L SILVER MET. BRAID, RUNNING OUT THE BOTTOM. SET DOWN THE RT. CENTER PANEL, 3 1/2" VERT. STRIPE OF 7744-8148 ROYAL BLUE W/ROW OF 533 WHITE SET 1/8" IN FROM EDGE ON BOTH SIDES OF STRIPE, W/SLIGHT CURVE AT TOP & RUNNING STRAIGHT DOWN & OUT THE BOTTOM. CENTERED ON STRIPE TO BE FIVE, 2 1/2" MULTI-COLORED SWISS EMB. BULLDOG HEAD PATCHES SET ON WHITE FELT STICKING OUT, W/EXACT LOGO TO BE SUPPLIED TO SUCCESSFUL BIDDER. SET VERT. DOWN THE LEFT CENTER PANEL, 1 3/4" FULL BLOCK SILVER MET. FELT COIN APPLIQ. LETTERS "WASHINGTON" W/2 ROWS ROYAL BLUE BONAZ OUTLINE.

13.7 CLOSURE: CENTER FRONT BUTTED ZIPPER, TO ZIP UP.

13.8 SLEEVES TRIM: UPPER SLEEVES: SET IN 9" POINTED SLEEVE CAP OF 4030-G263 WHITE W/1/2" STRIPE OF SILVER LUSTRE GLO FLANKED FLUSH BOTH SIDES W/550 ROYAL BLUE, SET UP 1/4" FROM BOTTOM EDGE ONTO SLEEVE CAP. SET IN ARC ON CAP, 1/2" FULL BLOCK ROYAL BLUE DIR. SWISS EMB. LETTERS "BOOKER T" W/"WASHINGTON" SET BELOW IN REVERSE ARC BELOW OF THE SAME. CENTERED BETWEEN, 2 1/2" MULTI-COLORED SWISS EMB. BULLDOG HEAD PATCH SET ON WHITE FELT STICKING OUT. LOWER SLEEVES: FULL AROUND 3" X 5" X 3" STRIPE 1/2" WIDE OF 4030-G263 WHITE FLANKED FLUSH BOTH SIDES W/23L SILVER MET. OVER 550 WHITE, W/TOP ROW FORMING A 3 - LOOP TREFOIL. SET BELOW INVERTED "V" STRIPE TO BE A 2 1/2" MULTI-COLORED SWISS EMB. BULLDOG HEAD PATCH ON WHITE FELT STICKING OUT.

13.9 BACK TRIM: CONTRASTING CENTER BACK PANELS OF 4030-G263 WHITE W/PIPED FITTING SEAMS OF 52L SILVER MET., RUNNING OUT THE BOTTOM. CENTERED ON THE UPPER BACK, 7" FULL BLOCK ROYAL BLUE FELT COIN APPLIQ. LETTER "W" W/3 ROWS SILVER MET. BONAZ OUTLINE.

13.10 LINING POCKET: RT. SIDE TUX

**ATLANTA PUBLIC SCHOOLS
BAND UNIFORMS
FOR WASHINGTON HIGH SCHOOL**

DETAILED SPECIFICATIONS FOR 140 REGULAR BAND UNIFORMS

14.0 SKI-BIBBERS

14.1 STYLE: T-6-5, WHITE WEB SUSPENDERS, ROYAL DOUBLED SPANDEX GUSSET UNDER ARM, CENTER FRONT FLY ZIPPER W/SINGLE HOOK FLEX CLOSURE, 3" HEM, TOP FRONT EXTENDS 5" ABOVE WAISTLINE CURVING UNDER ARM TO 10" EXTENSION IN BACK ON 38R MALE, 6" BACK WAIST DARTS, RT. SIDE WALLET FOB POCKET, BARCODE

14.2 MATERIAL: 7744-8148 ROYAL BLUE

14.3 TRIM: 3" STRIPE OF 4030-G263 WHITE FLANKED FLUSH BOTH SIDES W/52L SILVER METALLIC. SET DOWN EACH STRIPE & SPACED EVENLY APART TO BE 2 1/2" FULLY FILLED SWISS EMB. BULLDOG HEAD PATCHES ON WHITE FELT STICKING OUT.

15.0 CAPE

15.1 STYLE: CA-4, LEFT SHOULDER HALF DAVIS, UPPER THIGH LENGTH IN CENTER BACK, FINGER TIP LENGTH ON OUTBOARD SIDE, PERMANENTLY TOP STITCHED TO LEFT SHOULDER OF COAT UNDER SHOULDER STRAP, 6" SELF FABRIC HANDLE ON LINING SIDE REINFORCED EACH END W/BARTACK

15.2 MATERIAL: #10 ROYAL BLUE POLY PRO **15.2.1 LINING:** WHITE POLY PRO

15.3 TRIM: NONE

16.0 BUSBY

16.1 STYLE: HF-24, 12" BUCKINGHAM COVERED IN WHITE LONG FUR

16.2 FRONT TRIM: CENTERED ON FRONT TO BE A 7" TALL X 5" WIDE DIAMOND SHAPE INSERT OF 7744-8148 ROYAL BLUE W/3" FULL BLOCK WHITE FELT COIN APPLIQ. LETTER "W" CENTERED.

16.3 FRONT STRAP: NIC. ALUM. CHAIN **16.3.1 VISOR:** WHITE W/NIC. EDGE

16.4 EMBLEM: NONE **16.3.2 CHIN STRAP:** CLEAR W/NIC. BKL.

16.5 PLUMEHOLDER: TOP RT. SIDE **16.5.1 BUTTONS:** 40L NIC. LYRE

17.0 ACCESSORIES

17.1 PLUME: 8" ROYAL BLUE UPRIGHT

17.2 HAT BAG: CLEAR VINYL CARRY ALL BAG W/DRAW STRING

17.3 HANGER: BLACK PLASTIC W/SEPARATING PANT BAR

17.4 GARMENT BAG: 200 DENIER NAVY NYLON W/TOP HANDLE, ACCESSORY POCKET, VENTS, IDP, & LOGO

**ATLANTA PUBLIC SCHOOLS
BAND UNIFORMS
FOR WASHINGTON HIGH SCHOOL**

DETAILED SPECIFICATIONS FOR 3 DRUM MAJOR #1 UNIFORMS

18.0 COAT

18.1 STYLE: C-400, WAISTLENGTH FRONT W/BOTTOM POINT, FULL LENGTH BACK, RT. SIDE ZIPPER W/3 SNAPS, BARCODE

18.2 MATERIAL: 4030-G263 WHITE

18.2.1 LINING: WHITE HERRINGBONE

18.3 COLLAR: C-1 OF 7744-8148 ROYAL BLUE W/ROW OF 52L SILVER MET. SET IN 1/4" FROM EDGE. COLLAR TO BE LINED W/4030-E267 BLACK W/NO COLLAR LINER.

18.4 SHOULDER STRAPS: SS-1 OF 7744-8148 ROYAL BLUE, TRIMMED SAME AS COLLAR.

18.5 SHOULDER STRAP BUTTONS: 24L LONG EYE NIC. LYRE, 24L NIC. SMOOTH CAPE BUTTONS

18.6 FRONT TRIM: 4" "V" SHAPED STRIPE OF 7744-8148 ROYAL BLUE FLANKED FLUSH BOTH SIDES W/52L SILVER MET., RUNNING OUT EACH SHOULDER & FORMING A POINT APPROX. 1/4" UP FROM THE BOTTOM. SPACED EVENLY ON STRIPE, SEVEN 2 1/2" MULTI-COLORED SWISS EMB. BULLDOG HEAD PATCHES ON WHITE FELT STICKING OUT.

18.7 CLOSURE: RT. SIDE ZIPPER W/3 SNAPS, TO ZIP UP.

18.8 SLEEVES TRIM: LOWER SLEEVES: FULL AROUND 4" CUFF W/STRAIGHT TOP EDGE OF 7744-8148 ROYAL BLUE W/ROW OF 52L SILVER MET. SET DOWN 1/4" FROM TOP EDGE ONTO CUFF. SET ABOVE CUFF, 2 1/2" MULTI-COLORED SWISS EMB. BULLDOG HEAD PATCH ON WHITE FELT STICKING OUT.

18.9 BACK TRIM: PLAIN - NO TRIM.

18.10 LINING POCKET: LEFT SIDE TUX

19.0 SKI-BIBBERS

19.1 STYLE: T-6-5, WHITE WEB SUSPENDERS, WHITE DOUBLED SPANDEX GUSSET UNDER ARM, CENTER FRONT FLY ZIPPER W/SINGLE HOOK FLEX CLOSURE, 3" HEM, TOP FRONT EXTENDS 5" ABOVE WAISTLINE CURVING UNDER ARM TO 10" EXTENSION IN BACK ON 38R MALE, 6" BACK WAIST DARTS, RT. SIDE WALLET FOB POCKET, BARCODE

19.2 MATERIAL: 4030-G263 WHITE, UNLINED

19.3 TRIM: 3" STRIPE OF 7744-8148 ROYAL BLUE FLANKED FLUSH BOTH SIDES W/52L SILVER METALLIC. SET DOWN EACH STRIPE & SPACED EVENLY APART TO BE 2 1/2" MULTI-COLORED SWISS EMB. BULLDOG HEAD PATCHES ON WHITE FELT STICKING OUT.

**ATLANTA PUBLIC SCHOOLS
BAND UNIFORMS
FOR WASHINGTON HIGH SCHOOL**

DETAILED SPECIFICATIONS FOR 3 DRUM MAJOR #1 UNIFORMS

20.0 CAPE

20.1 STYLE: CA-2, FULL CAPE, KNEE LENGTH IN CENTER BACK, FINGER TIP LENGTH ON SIDES, BARCODE

20.2 MATERIAL: #10 ROYAL BLUE POLY PRO **20.2.1 LINING:** SILVER LUSTRE GLO

20.3 TRIM: CENTERED ON UPPER BACK, APPROX. 7" MULTI-COLORED SWISS EMB. BULLDOG HEAD PATCH ON WHITE FELT STICKING OUT.

21.0 BUSBY

21.1 STYLE NO: HF-24, 14" BUCKINGHAM COVERED IN WHITE LONG FUR

21.2 TRIM: HFT-26, INVERTED "V" INSERT OF 7744-8148 ROYAL BLUE W/APPROX. 4" FULL BLOCK SILVER MET. FELT COIN APPLIQ. LETTER "W" CENTERED.

21.3 FRONT STRAP: NONE

21.3.1 CHINSTRAP: CLEAR W/NIC. BKL

21.4 VISOR: WHITE W/NIC EDGE

21.4.1 PLUMEHOLDER: TOP RT. SIDE

21.5 FRONT EMBLEM: NONE

21.5.1 BUTTONS: 40L NIC. LYRE

22.0 ACCESSORIES

22.1 PLUME: 8" THREE COLORED UPRIGHT (ROYAL ON TOP, WHITE IN CENTER, & ROYAL AT BOTTOM)

22.2 HAT BAG: CLEAR VINYL CARRY ALL BAG W/DRAW STRING

22.3 PR. EPAULETTES: PR. #10 ROYAL BLUE POLY PRO W/ROYAL BLUE BRAIDED CORD, ROYAL FRINGE, & 424 1/4" ROYAL BLUE UNDER STRAPS.

22.4 PR. SPATS: PR. 7744-8148 ROYAL BLUE W/SNAP CLOSURE, & BLACK ELAST. UNDER STRAP

22.5 HANGER: BLACK PLASTIC W/SEPARATING PANT BAR

22.6 GARMENT BAG: 200 DENIER NAVY NYLON W/TOP HANDLE, ACCESSORY POCKET, VENTS, IDP, & LOGO

**ATLANTA PUBLIC SCHOOLS
BAND UNIFORMS
FOR WASHINGTON HIGH SCHOOL**

DETAILED SPECIFICATIONS FOR 3 DRUM MAJOR #2 UNIFORMS

23.0 COAT

23.1 STYLE: C-400, WAISTLENGTH FRONT W/BOTTOM POINT, FULL LENGTH BACK, RT. SIDE ZIPPER W/3 SNAPS, BARCODE

23.2 MATERIAL: 7744-8148 ROYAL BLUE

23.2.1 LINING: BLACK HERRINGBONE

23.3 COLLAR: C-1 OF 7744-8148 ROYAL BLUE W/ROW OF 52L SILVER MET. SET IN 1/4" FROM EDGE. COLLAR TO BE LINED W/4030-E267 BLACK W/NO COLLAR LINER.

23.4 SHOULDER STRAPS: SS-1 OF 7744-8148 ROYAL BLUE, TRIMMED SAME AS COLLAR.

23.5 SHOULDER STRAP BUTTONS: 24L LONG EYE NIC. LYRE, 24L NIC. SMOOTH CAPE BUTTONS

23.6 FRONT TRIM: 4" "V" SHAPED STRIPE OF 4030-G263 WHITE FLANKED FLUSH BOTH SIDES W/52L SILVER MET., RUNNING OUT EACH SHOULDER & FORMING A POINT APPROX. 1/4" UP FROM THE BOTTOM. SPACED EVENLY ON STRIPE, SEVEN 2 1/2" MULTI-COLORED SWISS EMB. BULLDOG HEAD PATCHES ON WHITE FELT STICKING OUT.

23.7 CLOSURE: RT. SIDE ZIPPER W/3 SNAPS, TO ZIP UP.

23.8 SLEEVES TRIM: LOWER SLEEVES: FULL AROUND 4" CUFF W/STRAIGHT TOP EDGE OF 4030-G263 WHITE W/ROW OF 52L SILVER MET. SET DOWN 1/4" FROM TOP EDGE ONTO CUFF. SET ABOVE CUFF, 2 1/2" MULTI-COLORED SWISS EMB. BULLDOG HEAD PATCH ON WHITE FELT STICKING OUT.

23.9 BACK TRIM: PLAIN - NO TRIM.

23.10 LINING POCKET: LEFT SIDE TUX

24.0 SKI-BIBBERS

24.1 STYLE: T-6-5, BLACK WEB SUSPENDERS, ROYAL DOUBLED SPANDEX GUSSET UNDER ARM, CENTER FRONT FLY ZIPPER W/SINGLE HOOK FLEX CLOSURE, 3" HEM, TOP FRONT EXTENDS 5" ABOVE WAISTLINE CURVING UNDER ARM TO 10" EXTENSION IN BACK ON 38R MALE, 6" BACK WAIST DARTS, RT. SIDE WALLET FOB POCKET, BARCODE

24.2 MATERIAL: 7744-8148 ROYAL BLUE

24.3 TRIM: 3" STRIPE OF 4030-G263 WHITE FLANKED FLUSH BOTH SIDES W/52L SILVER METALLIC. SET DOWN EACH STRIPE & SPACED EVENLY APART TO BE 2 1/2" MULTI-COLORED SWISS EMB. BULLDOG HEAD PATCHES ON WHITE FELT STICKING OUT.

**ATLANTA PUBLIC SCHOOLS
BAND UNIFORMS
FOR WASHINGTON HIGH SCHOOL**

DETAILED SPECIFICATIONS FOR 3 DRUM MAJOR #2 UNIFORMS

25.0 CAPE

25.1 STYLE: CA-2, FULL CAPE, KNEE LENGTH IN CENTER BACK, FINGER TIP LENGTH ON SIDES, BARCODE

25.2 MATERIAL: #10 ROYAL BLUE POLY PRO

25.2.1 LINING: WHITE POLY PRO

25.3 TRIM: CENTERED ON UPPER BACK, APPROX. 7" MULTI-COLORED SWISS EMB. BULLDOG HEAD PATCH ON WHITE FELT STICKING OUT.

26.0 BUSBY

26.1 STYLE NO: HF-24, 14" BUCKINGHAM COVERED IN ROYAL FUR

26.2 TRIM: HFT-26, INVERTED "V" INSERT OF 4030-G263 WHITE W/APPROX. 4" FULL BLOCK ROYAL BLUE FELT COIN APPLIQ. LETTER "W" CENTERED.

26.3 FRONT STRAP: NONE

26.3.1 CHINSTRAP: CLEAR W/NIC. BKL

26.4 VISOR: WHITE W/NIC EDGE

26.5 PLUMEHOLDER: TOP RT. SIDE

26.6 FRONT EMBLEM: NONE

26.6.1 BUTTONS: 40L NIC. LYRE

27.0 ACCESSORIES

27.1 PLUME: 8" THREE COLORED UPRIGHT (WHITE ON TOP, ROYAL IN CENTER, & WHITE AT BOTTOM)

27.2 HAT BAG: CLEAR VINYL CARRY ALL BAG W/DRAW STRING

27.3 PR. EPAULETTES: PR. WHITE POLY PRO W/WHITE BRAIDED CORD, WHITE FRINGE, & 424 1/4" WHITE UNDER STRAPS.

27.4 PR. SPATS: PR. WHITE NAUG. W/SNAP CLOSURE & BLACK ELAST. UNDER STRAP

27.5 HANGER: BLACK PLASTIC W/SEPARATING PANT BAR

27.6 GARMENT BAG: 200 DENIER NAVY NYLON W/TOP HANDLE, ACCESSORY POCKET, VENTS, IDP, & LOGO

**ATLANTA PUBLIC SCHOOLS
BAND UNIFORMS
FOR WASHINGTON HIGH SCHOOL**

DETAILED SPECIFICATIONS FOR 3 DIRECTOR #1 UNIFORMS

28.0 COAT

28.1 STYLE: C-150, FULL LENGTH FRONT & BACK, DOUBLE BREASTED, PEAK LAPEL, TWO SETS OF THREE BUTTONS W/3 TO BUTTON, SPLIT SLEEVES, BARCODE

28.2 MATERIAL: 7744-6607 BLACK

28.2. 3 LINING: BLACK HERRINGBONE

28.3 COLLAR & LAPEL: SELF FABRIC, EDGE STITCHED. SET AT EACH SIDE ON COLLAR IN FRONT TO BE APPROX. 3/4" DIR. SWISS EMB. SILVER METALLIC MUSIC LYRE.

28.4 SHOULDER STRAPS: SS-1 OF 7744-6607 BLACK - NO TRIM.

28.5 SHOULDER STRAP BUTTONS: 24L NIC. LYRE

28.6 FRONT TRIM: LEFT CHEST FUNCTIONAL POCKET W/SELF FABRIC WELT.

28.7 CLOSURE: TWO SETS OF 3 - 36L NIC. LYRE BUTTONS W/3 TO BUTTON, ATTACHED W/STAY.

28.8 SLEEVES TRIM: LOWER SLEEVES: FULL AROUND 3" X 5" DIAG. STRIPE 1" WIDE OF 7744-8148 ROYAL BLUE FLANKED FLUSH BOTH SIDES W/52L SILVER MET. BRAID, W/TOP ROW FORMING 3 - LOOP TREFOIL. CENTERED ON STRIPE, APPROX. 5/8" PLAIN BLOCK SILVER MET. DIR. SWISS EMB. LETTERS "WASHINGTON".

BACK TRIM: ENTIRE BACK OF 7744-6607 BLACK - NO TRIM.

28.9 LINING POCKET: RT. SIDE BREAST

29.0 TROUSERS

29.1 STYLE: T-1, REG. RISE (BARCODE)

29.2 MATERIAL: 7744-6607 BLACK

29.3 TRIM: NONE

29.4 SPECIAL FEATURES: FRENCH FLY W/24L BLACK BONE BUTTON

29.5 POCKETS: WALLET FOB: RT. SIDE

29.5.1 LEFT HIP: XX

29.5.2 SIDE HANGING PKTS: YES

29.6 4" SIDE ADJUSTER ZIPPER: XX

29.7 ACING HOLDER: VELCRO: NONE

29.7.1 SNAP: XX (HEAVY SNAPS)

29.8 WAISTBAND: 3" BLACK, VERT. ST. & BART. _____

29.9 HEM 3": XX

29.9 UNHEMMED:

29.10 SUSPENDER BUTTONS: 27L BLACK BONE

**ATLANTA PUBLIC SCHOOLS
BAND UNIFORMS
FOR WASHINGTON HIGH SCHOOL**

DETAILED SPECIFICATIONS FOR 3 DIRECTOR #1 UNIFORMS

30.0 CAP

31.1 STYLE: HC-40, “PERSHING CAP” W/LONG PERSHING VISOR

31.2 MATERIAL: TOP, WELT, & SIDES: 7744-6607 BLACK

31.3 BAND: 7744-6607 BLACK W/SILVER MET. DIR. SWISS EMB. CONTINUOUS OAK LEAF CLUSTER ALL AROUND. ROW OF 24L SILVER MET. SET DOWN 1/4” FROM TOP EDGE ONTO BAND.

31.4 TRIM: CENTERED ON FRONT SIDES, APPROX. 2” PLAIN BLOCK SILVER MET. DIR. SWISS EMB. LETTER “W”.

31.5 FRONT STRAP: NONE

31.5.1 CHIN STRAP: NONE

31.6 EMBLEM: NONE

31.7 PLUMEHOLDER: NONE

31.7.1 BUTTONS: 24L NIC. LYRE PRONG

32.0 ACCESSORIES

32.1 SHOULDER KNOTS: PR. 3 PLY OF SILVER METALLIC W/424-1/4” BLACK UNDER STRAPS.

32.2 HANGER: BLACK PLASTIC W/SEPARATING PANT BAR

**ATLANTA PUBLIC SCHOOLS
BAND UNIFORMS
FOR WASHINGTON HIGH SCHOOL**

DETAILED SPECIFICATIONS FOR 3 DIRECTOR #2 UNIFORMS

33.0 COAT

33.1 STYLE: C-150, FULL LENGTH FRONT & BACK, DOUBLE BREASTED, PEAK LAPEL, TWO SETS OF THREE BUTTONS W/3 TO BUTTON, SPLIT SLEEVES, BARCODE

33.2 MATERIAL: 4030-G263 WHITE

33.2.1 LINING: WHITE HERRINGBONE

33.3 COLLAR & LAPEL: SELF FABRIC, EDGE STITCHED. SET AT EACH SIDE ON COLLAR IN FRONT TO BE APPROX. 3/4" DIR. SWISS EMB. SILVER METALLIC MUSIC LYRE.

33.4 SHOULDER STRAPS: SS-1 OF 4030-G263 WHITE - NO TRIM.

33.5 SHOULDER STRAP BUTTONS: 24L NIC. LYRE

33.6 FRONT TRIM: LEFT CHEST FUNCTIONAL POCKET W/SELF FABRIC WELT.

33.7 CLOSURE: TWO SETS OF 3 - 36L NIC. LYRE BUTTONS W/3 TO BUTTON, ATTACHED W/STAY.

33.8 SLEEVES TRIM: LOWER SLEEVES: FULL AROUND 3" X 5" DIAG. STRIPE 1" WIDE OF 7744-8148 ROYAL BLUE FLANKED FLUSH TOP EDGE W/ROW OF 550 ROYAL BLUE, FORMING 3 - LOOP TREFOIL. CENTERED ON STRIPE, APPROX. 5/8" PLAIN BLOCK WHITE DIR. SWISS EMB. LETTERS "WASHINGTON".

33.9 BACK TRIM: ENTIRE BACK OF 4030-G263 WHITE - NO TRIM.

33.10 LINING POCKET: RT. SIDE BREAST

34.0 TROUSERS

34.1 STYLE: T-1, REG. RISE (BARCODE)
UNLINED

34.1.1 MATERIAL: 4030-G263 WHITE,

34.2 TRIM: NONE

34.3 SPECIAL FEATURES: FRENCH FLY W/24L WHITE BONE BUTTON

34.4 POCKETS: WALLET FOB: RT. SIDE
PKTS: YES

34.4.1 LEFT HIP: XX

34.4.2 SIDE HANGING

34.1 4" SIDE ADJUSTER ZIPPER: XX

34.2 FACING HOLDER: VELCRO: NONE

34.2.1 SNAP: XX (HEAVY SNAPS)

34.3 WAISTBAND: 3" WHITE, VERT. ST. & BART.

34.4 HEM 3": XX

34.4.1 UNHEMMED:

34..5 SUSPENDER BUTTONS: 27L WHITE BONE

**ATLANTA PUBLIC SCHOOLS
BAND UNIFORMS
FOR WASHINGTON HIGH SCHOOL**

DETAILED SPECIFICATIONS FOR 3 DIRECTOR #2 UNIFORMS

35.0 CAP

35.1 STYLE: HC-40, "PERSHING CAP" W/LONG PERSHING VISOR

35.2 MATERIAL: TOP, WELT, & SIDES: 4030-G263 WHITE

35.3 BAND: 4030-G263 WHITE W/SILVER MET. DIR. SWISS EMB. CONTINUOUS OAK LEAF CLUSTER ALL AROUND. ROW OF 533 ROYAL BLUE SET DOWN 1/4" FROM TOP EDGE ONTO BAND.

35.4 TRIM: CENTERED ON FRONT SIDES, APPROX. 2" PLAIN BLOCK ROYAL BLUE DIR. SWISS EMB. LETTER "W".

35.5 FRONT STRAP: NONE

35.1.1 CHIN STRAP: NONE

35.6 EMBLEM: NONE

35.7 PLUMEHOLDER: NONE

35.8 BUTTONS: 24L NIC. LYRE PRONG

36.0 ACCESSORIES

36.1 SHOULDER KNOTS: PR. 3 PLY OF ROYAL BLUE W/424-1/4" ROYAL BLUE UNDER STRAPS.

36.2 HANGER: BLACK PLASTIC W/SEPARATING PANT BAR

**A COMPUTERIZED UNIFORM MANAGEMENT ASSIGNMENT CENTER PROGRAM WILL
BE INCLUDED TO COMPLETE THIS ORDER**

**ATLANTA PUBLIC SCHOOLS
BAND UNIFORMS
FOR WASHINGTON HIGH SCHOOL**

37.0 ATLANTA PUBLIC SCHOOLS RIGHTS

37.1 The APS reserves the right to award the contract to the Bidder offering the best value, and not necessarily to the firm bidding the lowest price. The reputation of the manufacturer and representative, over-all appearance, style and fit of the uniform, quality of trims and accessories, plus special features a particular manufacturer may have that make the uniform more practical or serviceable will be major factors in awarding the contract. Right is reserved by APS to accept or reject any or all proposals, and waive informalities.

38.0 AREA REPRESENTATIVE

38.1 Bidder must agree to provide a factory-trained representative to handle all details of the order. Said representative will be responsible for designing, measuring and servicing the order throughout the initial purchase and on a continuing basis. Bidders must list name, address and telephone number of the representative in their response.

39.0 CUSTOMER INSTRUCTION MANUAL

39.1 The successful bidder will supply a booklet containing a printout showing each uniform in sequence from smallest size to largest. The printout will indicate wearer identification number, original wearer and key measurements of uniform, i.e. height, weight, hat, chest, waist and out seam. The successful bidder will also supply recommended dry cleaning instructions for the uniforms and all accessory items; specifying precise details on care and cleaning that are to be utilized in future upkeep and maintenance of the items in this bid.

40.0 VENDOR REQUIREMENTS

40.1 Vendor must be primarily engaged in the business of providing band uniforms.

40.2 Vendor must have proven experience in providing the services specified in this bid.

40.3 Vendor must have adequate equipment, qualified personnel and the financial ability to provide the services specified in this bid.

50.0 SUBMISSION REQUIREMENTS

50.1 The original and four (4) copies of the bid shall be submitted (typewritten or printed in ink). Bids shall be submitted in a sealed package; labeled on the outside of the package with the company's name, address, bid name and bid number, due date and time due. No telephone, electronic or facsimile bids will be accepted.

50.2 Bids cannot be withdrawn after they are delivered to the APS, unless bidder makes a request in writing to the Director of Procurement Services prior to time set for receiving bids, or unless the Director of Procurement Services fails to accept or reject the bids within one hundred and twenty (120) days after the date fixed for receiving said bids.

50.3 Bids which contain irregularities of any kind and/or do not comply fully with solicitation documents may be rejected at the discretion of the Director of Procurement Services. Atlanta Public Schools shall not be liable for any costs associated or incurred by offeror in conjunction with preparation of documents.

51.0 SHIPPING

51.1 Each uniform is to be thoroughly inspected before shipment. Imperfections shall be corrected before the uniforms are shipped. Uniforms are to be shipped complete with hangers (plastic) in containers. Each wardrobe container shall be marked on exterior to indicate the wearer number of each uniform enclosed. The uniforms will be ready to wear without cleaning or pressing. In the case of damaged shipment, it shall be the responsibility of the receiver to make an appropriate written notice when signing the carrier documents. The receiver shall inventory the damage and advise the uniform manufacturer in detail. Accessories such as sashes, drops, etc., as well as trousers, will be bulk packed unless otherwise specified.

51.2 By submitting a response the offeror certifies: “that this bid is made without prior understanding, agreement or connection with any corporation, company or person submitting a bid for the same service and is in all respects fair and without collusion or fraud; that collusive pricing is understood to be a violation of State and Federal law and can result in fines, prison sentences and civil damage awards.” It is agreed that all conditions of the solicitation, notice to proceed and/or purchase order of APS shall be abided and that the person signing this bid is authorized to bid for the offeror.

51.3 Offeror shall submit with bid the bidder information form and the bidder reference form found in this solicitation. Failure to provide the information requested in complete and accurate detail may result in rejection of the bid. If further information is required to provide responsibility such as providing copies of licenses, certificates, permits, etc., the offeror will be notified, in writing and given seven (7) days from notification to comply.

51.4 Offeror shall read and completed all applicable forms in the general terms and conditions and joint venture affidavit and submit with your bid all required forms.

51.5 Offeror shall complete and submit Promise of Non-discrimination form with their bid.

51.6 Offeror shall submit with bid a copy of your company business license for the State of Georgia or Certificate of Authority to transact business in the state of Georgia.

51.7 Offeror shall provide with bid, a copy of their current business license or any certificate of authority to transact business awarded by a governmental agency. Failure to provide this information may result in the offeror being declared non-responsive.

51.8 APS is requesting that vendors submit bid forms (pricing) on a disk or CD using the Excel spreadsheet available for download from our solicitations website at:
http://www.atlanta.k12.ga.us/content/purch_solicit.aspx

IMPORTANT

The sample uniform you submit does not need to be an exact sample meeting these detail specifications, however if your construction differs from the specifications we ask that you use the deviation form and list these changes for our evaluation committee.

Please submit a list of at least ten schools in our immediate area that are wearing your garments so that we may contact them for references if needed.

It is the intention of the APS to offer equal opportunity to all bidders. The use of company names when referring to styles are for descriptive purposes only and are not intended to be restrictive. Materials and items referred to in these specifications are available to all firms.

**ATLANTA PUBLIC SCHOOLS
BAND UNIFORMS
FOR WASHINGTON HIGH SCHOOL**

DEVIATIONS FORM

If the undersigned Bidder intends to deviate from the specifications by utilizing any different materials, items, treatments, finishes, under construction, tailoring details, etcetera, contrary to those listed as standards in the specification, then the Bidder must list all deviations on this form. In the event that there are no deviations, then the Bidder shall enter "NO DEVIATIONS" on this form. If deviations are not documented fully, the bidder may be disqualified. The Bidder then assures the Buyer of their full compliance with the specifications and conditions.

****FAILURE TO LIST SUCH DEVIATIONS, IN DETAIL, WILL RESULT IN
DISQUALIFICATION OF THE BIDDER****

APPROVED _____ DISAPPROVED _____ SUBMITTED FOR CONSIDERATION

BIDDER _____

SIGNED _____ SIGNED _____

ITEM PRICE BREAKDOWN

Date _____

School: _____ Date of Opening. _____

City, State: _____

**Washington High School Regular Band Uniforms
Price Sheets**

DESCRIPTION		QUANTITY	UNIT PRICE	EXTENSION
Regular Band Uniforms				
Coats		140	\$	\$
Ski- Bibbers		140	\$	\$
Capers		140	\$	\$
Busbys		140	\$	\$
Plumes		140	\$	\$
Hat Bags		140	\$	\$
Hangers		140	\$	\$
Garment Bags		140	\$	\$
Total Regular Uniforms				\$

**Washington High School Band Uniforms
Price Sheets**

Drum Major # 1 Band Uniforms

Drum Major # 1		QUANTITY	UNIT PRICE	EXTENSION
Coats		3	\$	\$
Ski- Bibbers		3	\$	\$
Capers		3	\$	\$
Busbys		3	\$	\$
Plumes		3	\$	\$
Hat Bags		3	\$	\$
Pr. Epaulettes		3	\$	\$
Pr. Spats		3	\$	\$
Hangers		3	\$	\$
Garment Bags		3	\$	\$
Total Drum Major # 1				\$

Washington High School Band Uniforms Price Sheets

Drum Major #2 Band Uniforms

Drum Major # 2	QUANTITY	UNIT PRICE	EXTENSION
Coats	3	\$	\$
Ski- Bibbers	3	\$	\$
Capers	3	\$	\$
Busbys	3	\$	\$
Plumes	3	\$	\$
Hat Bags	3	\$	\$
Pr. Epaulettes	3	\$	\$
Pr. Spats	3	\$	\$
Hangers	3	\$	\$
Garment Bags	3	\$	\$
Total Drum Major # 2			\$

Director #1 Band Uniforms

Director # 1	QUANTITY	UNIT PRICE	EXTENSION
Coats	3	\$	\$
Trousers	3	\$	\$
Caps	3	\$	\$
Pr. Shoulders Knots	3	\$	\$
Hangers	3	\$	\$
Total Director #1			\$

Washington High School Band Uniforms Price Sheets

Director # 2 Band Uniforms

Director # 2	QUANTITY	UNIT PRICE	EXTENSION
Coats	3	\$	\$
Trousers	3	\$	\$
Caps	3	\$	\$
Pr. Shoulders Knots	3	\$	\$
Hangers	3	\$	\$
Total Director #2			\$

Having carefully examined the General Conditions and Specifications, the undersigned hereby proposes and agrees to furnish complete band uniforms in strict compliance with the Specifications as follows: (In case of error, unit price governs.)

UNIFORM MANAGEMENT PROGRAM

TOTAL PRICE \$_____

F.O.B. Destination

Delivery of a "pilot" uniform is assured within_____days after the contract has been awarded. Shipment of complete order will be made within _____ or sooner after receipt of sample, sample approval, complete measurements, and a signed purchase order and/or deposit. Prices are valid for a period of 60 days.

AREA REPRESENTATIVE:

Company Name:_____

Address: _____

City & State: _____

Phone Number of Bidder:_____

Authorized Official Signature_____

Title:_____

**ATLANTA PUBLIC SCHOOLS
BAND UNIFORMS FOR WASHINGTON HIGH SCHOOL**

DISCOUNT BID FORM

List any discounts if available: _____

Company Name

Authorized Company Representative Name (please print)

Title

Authorized Company Representative Signature

Date

**ATLANTA PUBLIC SCHOOLS
BAND UNIFORMS
FOR WASHINGTON HIGH SCHOOL**

NON-COLLUSIVE BIDDING CERTIFICATE

By submission of the bid or proposal, the Bidder certifies that:

- (a)** This bid or proposal has been independently arrived at without collusion with any other Bidder or with any Competitor;
- (b)** This bid or proposal has not been knowingly disclosed and will not be knowingly disclosed, prior to the opening of bids, or proposals for this project, to any other Bidder, Competitor or potential Competitor;
- (c)** No attempt has been or will be made to induce any other person, partnership or corporation to submit or not to submit a bid or proposal;
- (d)** The person signing this bid or proposal certifies that he has fully informed himself regarding the accuracy of the statements contained in this certification, and under the penalties being applicable to the Bidder as well as to the person signing in its behalf.

Company Name: _____

Authorized Signature: _____

Title: _____

Date: _____

ATLANTA PUBLIC SCHOOLS
NON-SUBMITTAL RESPONSE FORM

Bid Name: Band Uniforms for Washington High School
Bid Number: 113007-01

NOTE TO VENDOR:

If your company's response is a "non-submittal", the Atlanta Public Schools is very interested in the reason for such response since APS desires to ensure that the procurement process is fair, non-restrictive and attracts maximum participation from interested companies. We therefore, appreciate your responses to this non-submittal response form.

Please complete and fax this form to: (404) 802-1506

PLEASE INDICATE YOUR REASON FOR RESPONDING WITH A "NON-SUBMITTAL":

_____ UNABLE TO MEET REQUIREMENTS FOR THIS SOLICITATION.

_____ UNABLE TO MEET TIME FRAME ESTABLISHED FOR START AND/OR COMPLETION OF PROJECT.

_____ RECEIVED TOO LATE TO REPLY. RECEIVED ON _____.

_____ PLEASE REMOVE OUR COMPANY'S NAME FROM RECEIVING SIMILAR TYPE SOLICITATIONS

_____ OTHER (Please explain): _____

YOUR RESPONSE WILL BE GIVEN CAREFUL CONSIDERATION, AND INCLUDED IN THE CONTRACT FILE. YOUR INPUT WILL ASSIST THE ATLANTA PUBLIC SCHOOLS IN DETERMINING CHANGES NECESSARY TO INCREASE MAXIMUM PARTICIPATION AND COMPETITION.

COMPANY NAME

COMPANY ADDRESS

(_____)_____
BUSINESS TELEPHONE NUMBER

(_____)_____
FAX

E-MAIL ADDRESS

AUTHORIZED SIGNATURE

TITLE

DATE

ATLANTA PUBLIC SCHOOLS
BIDDER AFFIRMATION FORM

Company Name: _____

Bid Name: **Band Uniforms for Washington High School**

Bid Number: **113007-01**

After careful examination of the solicitation document in its entirety, Washington High School Band Uniforms and any addendum(s) issued, the undersigned proposes to satisfy all requirements in accordance with said documents.

The solicitation checklist has been complied with, is completed and enclosed with this bid. For consideration of this bid, the undersigned hereby affirms that (1) he/she is a duly authorized official of the company, (2) that the bid is being submitted on behalf of the offeror in accordance with any terms and conditions set forth in this document, and (3) that the offeror will accept any awards made to it as a result of the bid submitted herein for a minimum of one hundred and twenty (120) calendar days following the date of submission.

If notified in writing by mail or delivery of the acceptance of these documents, the undersigned agrees to furnish and deliver to the assigned Purchasing Agent within seven (7) a certificate of insurance indicating coverage's specified within this solicitation.

A contract shall be established which will set forth the terms of this agreement. The contract shall be interpreted, construed and given effect in all respects according to the laws of the State of Georgia.

Nondiscrimination in Employment: We the supplier of goods, materials, equipment or services covered by this bid or contract have not discriminated in the employment, in any way, against any person or persons, or refused to continue the employment of any person or persons on account of their race, creed, color, or national origin.

Respectfully submitted,

Company Name

Address

Authorized Official Name

Signature

Title

Date

(_____)_____
Business Telephone Number

(_____)_____
Fax

E-mail Address

The full names and addresses of persons and organizations interested in the foregoing Request for Bids as principals of the company are as follows:

The legal name of the bidder is:

**ATLANTA PUBLIC SCHOOLS
BIDDER INFORMATION FORM**

Solicitation Name: Band Uniforms for Washington High School
Solicitation #: 113007-01

This form must be completed and returned with your bid.

1. Company Name: _____
2. Street Address: _____
3. City, State, Zip Code: _____
4. Primary Contact: _____
5. Telephone: (_____) _____ Fax: (_____) _____
6. E-mail: _____
7. Company web site: _____
8. State tax identification number and state issued from: _____
9. Have any conditions or restrictions been placed by the company on this bid that would declare it non-responsive: Yes _____ No _____
10. Are you prepared to provide proof of insurance as required? Yes _____ No _____
11. Is this bid being submitted as a joint venture? Yes _____ No _____
If yes please download and complete the Joint Venture Affidavit.
12. Has your company ever been debarred from doing business with any federal, state or local agency?
Yes _____ No _____
If yes please provide details including agency name, date and reason for debarment.
13. Does your company offer online ordering? Yes _____ No _____
14. Does your company accept payment by credit card? Yes _____ No _____
15. Does your company require a contract to begin service? Yes _____ No _____
If yes please submit a contract with your response.

ATLANTA PUBLIC SCHOOLS
BIDDER REFERENCE FORM

Solicitation Name: Washington High School Band Uniforms
Solicitation #: 113007-01

This form must be completed and returned with your bid.

All references must be from customers for whom your company has completed work similar to the specifications of this bid.

References for: _____
(Company Name)

1. Company: _____

Address, City, State, Zip: _____

Name/title of Contact Person: _____

Telephone: (_____) _____ Fax: (_____) _____ E-mail: _____

Provide the scope of work and date of project: _____

2. Company: _____

Address, City, State, Zip: _____

Name/title of Contact Person: _____

Telephone: (_____) _____ Fax: (_____) _____ E-mail: _____

Provide the scope of work and date of project: _____

3. Company: _____

Address, City, State, Zip: _____

Name/title of Contact Person: _____

Telephone: (_____) _____ Fax: (_____) _____ E-mail: _____

Provide the scope of work and date of project: _____

ATLANTA PUBLIC SCHOOLS
SOLICITATION CHECKLIST

Solicitation Name: Washington High School Band Uniforms
Solicitation Number: 113007-01

The following items must be completed and submitted with your proposal in order for your response to be considered.

Submitted

Yes	No	Description
-----	----	-------------

_____	_____	Received ____ addendum(s).
-------	-------	----------------------------

_____	_____	Submitted four (4) copies of the bid.
-------	-------	---------------------------------------

_____	_____	Offeror affirmation form.
-------	-------	---------------------------

_____	_____	Submitted bid form(s) and disk or CD if applicable.
-------	-------	---

_____	_____	Submitted offeror information form.
-------	-------	-------------------------------------

_____	_____	Submitted offeror reference form.
-------	-------	-----------------------------------

_____	_____	Submitted a copy of business license for the State of Georgia or Certificate of Authority to transact business in the state of Georgia
-------	-------	--

_____	_____	Read and completed all applicable forms in the General Terms and Conditions (Promise of Non-discrimination is mandatory).
-------	-------	---

_____	_____	Submitted Joint Venture Affidavit if applicable.
-------	-------	--

_____	_____	Submitted a copy of your contract if required to begin service.
-------	-------	---

How did you hear about this bid?

_____	APS Website
_____	Fulton Daily Report
_____	Georgia Procurement Registry
_____	Onvia
_____	Other (please list) _____

Company Name

Signature of Authorized Company Representative

Date

COMPLETE THIS CHECKLIST AND SUBMIT WITH YOUR PROPOSAL