

Tender Number: 60140107
Date Created: Jun 29, 2010
Contact Person: Dennis McCarthy
Telephone: 902-424-3392
Document Reference: 60140107

Tender Source:

TENDERS WEBSITE
WWW.GOV.NS.CA/TENDERS
6176 YOUNG ST
HALIFAX NS B3K 2A6

Bidders are responsible for ensuring that they are aware of and have complied with any Addenda by visiting the Procurement Website or contacting the Public Tenders Office.

Send Quotation To:

Public Tenders Office
6176 Young Street, Suite 200
Halifax, NS B3K 2A6
Ph. 902-424-3333

Important Dates:

Closing Date: Jul 14, 2010

Closing Time: 10:00 a.m.

Bids are opened one half hour after tender closing

Deliver Goods/Services To:

Dept. of Natural Resources
Philip Porter
9 Creighton Road
Shubenacadie NS B0N 2H0

For information on other tenders refer to:
www.gov.ns.ca/tenders

Delivery Requested By: 13/08/2010
(DD/MM/YYYY)

Req. 10026367

Purchase 1 new Chassis/Cab Style Truck, Crew Cab 4x4, 16,500 lbs. GVWR
Department contact: Phil Porter 758-7224

PRICES TO BE QUOTED TAX OUT ONLY

PLEASE COMPLETE THE UNIT, DELIVERY DATE, UNIT PRICE AND EXTENDED PRICE FIELDS

Item	Qty Unit	Material Description	Delivery date	ALL PRICES MUST BE EXTENDED AND TOTALLED	
				Unit Price	Extended Price
00001	1	Perf. unit New Chassis/Cab Style Truck/Crew Cab 4x4			

Tender Number: 60140107

PRICES TO BE QUOTED TAX OUT ONLY

PLEASE COMPLETE THE UNIT, DELIVERY DATE, UNIT PRICE AND EXTENDED PRICE FIELDS

Item	Qty Unit	Material Description	Delivery date	ALL PRICES MUST BE EXTENDED AND TOTALLED	
				Unit Price	Extended Price

THE FOLLOWING INFORMATION MUST BE COMPLETED TO ENSURE TENDERACCEPTANCE **TOTAL:**

BIDDING COMPANY:

REPRESENTATIVE OF BIDDING COMPANY:

PRINT NAME:

PHONE#:

FAX#:

E-MAIL ADDRESS:

PO BOX:

CITY:

POSTAL CODE:

STREET:

CITY:

POSTAL CODE:

DELIVERY PROMISED:

TERMS:

FOB:

SIGNATURE:

All documents listed here can be found on our web site at www.gov.ns.ca/tenders/policy

If you do not have access to these documents via the Internet, please request a copy from Nova Scotia Procurement, 6176 Young St., PO Box 787, Halifax, NS B3J 2V2, phone (902)424-3333, fax (902)424-0622. Please request the document(s) by name.

NEED HELP? Suggestions and hints to help you reply to this tender are available from the above web page by selecting "Tendering Guides" then "Request for Quotations Completion Guide".

*****INSTRUCTIONS REGARDING THIS PURCHASE*****

By submitting a response to this tender, you acknowledge that you have read and complied with the applicable Nova Scotia Procurement documents. The following documents apply to this tender, and are available from the above web page by selecting "Terms & Conditions" then selecting the following:

Atlantic Standard Terms and Conditions (revised April 1, 2007)

Req. 10026367



Natural Resources

Natural Resources - Fleet Management Division

050410-00

Chassis Cab Style Truck, Crew Cab 4X4- 16,500 GVWR

050601 Specification Requirements

Check if Meet
or Exceed

Describe Offered Alternatives

I. General:

This specification describes DNR Fleet Management Division technical requirements for a 16,500 GVWR, 4X4 Crew Cab Style chassis.

II. Exterior:

1. **Colour** to be Woodland Green code # 9V5 (Forest Green Metallic acceptable). Note: If required, quote to paint to code, supplying unit with Gloss Black finish.

2. **Standard front bumper;** standard bright, or paint to OEM standard colour.

3. **Glass,** OEM Solar-Ray tinted.

4. **Mirrors,** outside manual, black, trailer tow extendable.

5. **Recovery Hooks,** front frame mounted.

6. **Wheelbase,** 176 inches (state actual quoted).

7. **C.A.-** 60" (state actual quoted).

8. **Rear Axle** to end of frame, 47.6 inches

III. Interior:

1. **Air Bags,** driver and front passenger.

2. **HVAC System,** h/d High Output, air conditioning manual climate control.

3. **Cruise Control**

4. **Floor Covering,** vinyl.

5. **Gauges,** Speedometer, odometer, trip odometer, fuel gauge, engine oil pressure gauge, voltmeter ammeter gauge or warning light, coolant temperature gauge.

6. **Radio,** AM/FM stereo W/scan, clock, 2 front & rear speakers.



Natural Resources

Natural Resources - Fleet Management Division

050410-00

Chassis Cab Style Truck, Crew Cab 4X4- 16,500 GVWR

050601 Specification Requirements	Check if Meet or Exceed	Describe Offered Alternatives
7. Upholstery & Trim , Seats, front: 40/20/40 bench seat with adjustable head restraints and seat mounted safety belts. Seats, rear: Flat folding bench, three passenger. Vinyl type upholstery and vinyl trim, dark pewter.	_____	_____
8. Windshield Wipers , two speed W/variable intermittent.	_____	_____
9. Horns , electric dual note.	_____	_____
IV. Mechanical/Functional:		
1. Alternator , 145 amps (maximum single capacity available).	_____	_____
2. Battery , 750 CCA minimum (supply maximum capacity available).	_____	_____
3. Brakes , power assisted front and rear to match vehicle GVWR, and equipped with four wheel anti-lock control.	_____	_____
4. Engine , minimum 6.8L gasoline multi-port fuel injected, (quote size available, stating h/p & torque rating; note diesel engine acceptable, minimum 6.4L).	_____	_____
5. Engine Cooling System , OEM heavy duty, designed to meet cooling requirements of engine and GVWR of vehicle.	_____	_____
6. Fuel Tank , large capacity single aft rear axle mount, w/driver's side through frame fuel fill.	_____	_____
7. Transmission , 5 or 6-speed automatic, heavy-duty electronically controlled with overdrive, and equipped with auxiliary external transmission cooler (heavy-duty air-to-oil).	_____	_____
8. Axle , locking differential h/d rear.	_____	_____
9. Four Wheel Drive , part time with manual transfer case shift and manual locking front hubs.	_____	_____
10. Tires all All Terrain Mud & Snow, spare tire & wheel to match (LT 19.5 load range G). State type/ size quoted.	_____	_____



Natural Resources

Natural Resources - Fleet Management Division

050410-00

Chassis Cab Style Truck, Crew Cab 4X4- 16,500 GVWR

050601 Specification Requirements	Check if Meet or Exceed	Describe Offered Alternatives
11. Axle RR , rear axle, 4.88:1 ratio- Ford & 4.56:1 GM.	_____	_____
12. OEM provision for wrecker warning lamp, 40 amp nominal rating.	_____	_____
13. OEM provision for body mounted lamp(s) c/w with hook-up wiring, 21 amp nominal rating.	_____	_____
14. Suspension , to be equipped with optional stabilizer bar, shocks, and rear overload springs to match GVW load rating of vehicle. Note: Suspension to have a maximum ground clearance from suspension or axel to ground-front & rear. State known clearance values.	_____	_____
15. Frame , to be ladder style, clear frame on outside. State psi rating and section modulus quoted (cu. in.)	_____	_____
16. Roof marker clearance lights & interior dome.	_____	_____
17. All lights shall be conventional type, & are to comply to FMVSS/CMVSS 108, as per Transport Canada Federal Lighting Equipment Standards.	_____	_____
18. Shall have at least (4) two position (On/Off) rocker panel switches mounted side by side in the dash. These switches shall be powered from the ignition switch in both run & accessory positions. The switches shall be circuit protected and back lit.	_____	_____
19. A round 7-conductor cable shall be wired from the main electrical panel, to the rear of the chassis & terminate into a standard 7-blade Recreational style connector (Conventional Wiring). The connection points on the 7-wire plug will be sealed & watertight.	_____	_____
20. Factory installed electric brake controller compatible with the vehicle braking system. Inertia- actuated controller with separate adjustment circuits for vehicle levelling and braking sensitivity. Single adjustment inertia-type controllers not acceptable.	_____	_____



Natural Resources

Natural Resources - Fleet Management Division

050410-00

Chassis Cab Style Truck, Crew Cab 4X4- 16,500 GVWR

050601 Specification Requirements	Check if Meet or Exceed	Describe Offered Alternatives
V. Tow Plate Package 1. Tow plate, minimum ½" thick with ½" gussets constructed and supported to meet or exceed towing capacity of the truck and hitch. Tow plate and related equipment shall be primed and painted gloss black to match the truck frame. <i>Note: All hardware selected must be grade 8 and of adequate length to provide a minimum of two full threads beyond the end of the nut when properly torqued. All grade 8 bolts shall be used in conjunction with hardened flat washers and Grade 8 locknuts.</i> 2. Quantity of two (2) "D" ring-style safety chain rings, with the attachment points to be located as close to the frame as possible. <i>Note: Provisions for the attachment of trailer safety chains shall be provided in accordance with SAE J697.3.5.4.3 Towing lugs.</i> 3. Installation of Class V Combo Bar w/ square receiver opening of 2 1/2" for weight distributing rating up to 12,000 lbs gross trailer weight (GTW) with a maximum tongue weight(TW) of 1,200 lbs. <i>Note: Height dimension to be determined at time of Build.</i>		
VI. Other Requirements: 1. OEM factory installed back up alarm. 2. Heavy-duty turn signal flasher rated for trailer towing. 3. Supply & installation of #2 First Aid kit, to be located driver's side behind seat. 4. Supply & installation of 2.5 lb Fire Extinguisher & mounting bracket, to be located on the left side of driver's seat. 5. Safety Triangle Kit, w/reusable heavy duty plastic case (17" DOT-approved). 6. Engine to have electronic limit to 115 KPH. 7. Undercoating: The entire underside of the vehicle, including all the under structure,		

Natural Resources - Fleet Management Division

050410-00

Chassis Cab Style Truck, Crew Cab 4X4- 16,500 GVWR

050601 Specification Requirements	Check if Meet or Exceed	Describe Offered Alternatives
chassis frame, and underside of the cab, shall be sprayed with <i>Diamond Kote</i> (or equal) black automotive undercoating. This process will aid in preventing chassis rust and will provide sound and vapour barrier for aluminum structures.		
8. Keys, three complete sets.		
VII. Publications & Warranty: - Each unit shall be delivered with the combination operator's, service and parts manuals. - State Warranty		
VIII. Pre-Delivery Inspection: The Contractor prior to delivery, will perform a pre-delivery inspection (PDI). Any vehicle found not to be in compliance with this requirement may not be accepted by the receiving Department for the purpose of delivery. The PDI will include but is not limited to the manufacturer's recommendations as well as the following: - Tires are to be inspected to insure proper inflation levels and wheel fasteners torqued to specification. - All fluid levels to be checked and corrected as needed. - Floor mats (if applicable) are to be colour-keyed and placed in the correct floor area. If mats are not the correct color, vendor shall not deliver the vehicle. - Remove any unnecessary Manufacturer's tape, stickers, decals, labels or other items except for the itemized window sticker. - Vehicle is to be test driven and all features are to be checked to insure proper operation. - Any final assembly or installation of features, equipment or any options must be completed prior to delivery. - Any necessary recalls, repairs and/or adjustments must be made prior to delivery.		
IX. Additional Specifications For All Vehicles: The specifications listed are considered base vehicles for this bid. The standard base vehicle may include items that are not included by manufacturer on this base vehicle. When these items are included in the Department specifications, the bidder must include the cost for these items in the bid. Included for all vehicles stated: - Vehicle to be completely winterized. - Minimum of 1/4 tank of fuel upon delivery. - Successful bidder to supply three (3) sets of keys per unit. - Pre-delivery according to manufacturer's standard requirements. - Invoice to include ignition key code numbers. - No Dealer decals/emblems are to be attached to the vehicle. - Vehicle to be clean inside and out with all applicable stickers removed. Protective coverings and plastic to be removed from seats. - Warranty: 5 years, 100,000 kilometres bumper to bumper will begin on the date the vehicle is placed in service not to exceed six (6) Months from delivery date. - All vehicles to include all equipment advertised by the Manufacturer as standard. No Fleet deletes will be accepted.		
X Additional Terms & Conditions: - Delivery- All deliveries are to be made between the hours of 8:00 AM and 4:00 PM, Monday through Friday. - Acceptance- Delivery does not mean acceptance. All vehicles are subject to inspection to establish conformity to specifications prior to acceptance.		